## NATIONAL PLAN FOR RADIO FREQUENCY SPECTRUM ALLOCATION

(Prom. SG. 60/2004, amend. and suppl. SG. 69/2004, SG. 31/2005, SG. 16/2006, SG. 76/2011, SG. 73/2012, SG. 59/2013, SG. 16/2014, SG. 46/2015, SG. 78/2016, SG. 47/2018, SG. 73/2019, SG. 33/2021 and SG. 25/2023)

FREQUENCY BAND kHz	RADIO SERVICES	USERS
Below 8.3	Not allocated	CIVIL
	Footnotes 73, 256, 257	NATIONAL SECURITY
8.3-9	METEOROLOGICAL AIDS	CIVIL
	METEOROLOGICAL AIDS	
9-11.3	RADIONAVIGATION	CIVIL
	Footnotes 73, 258	
	RADIONAVIGATION	CIVIL
11.3-14	Footnote 73	
	FIXED	
14-19.95	MARITIME MOBILE	
	Footnotes 2, 73, 259	NATIONAL SECORT
19.95-20.05	STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	CIVIL
	FIXED	CIVII
20.05-70	MARITIME MOBILE	NATIONAL SECURITY
	Footnotes 2, 73, 259	
70-72	RADIONAVIGATION	CIVIL
10-12	Footnotes 5, 73	NATIONAL SECURITY
	FIXED	
72-84	MARITIME MOBILE	CIVIL
12 04	RADIONAVIGATION	NATIONAL SECURITY
	Footnotes 2, 5, 73, 259	
84-86	RADIONAVIGATION	CIVIL
04-00	Footnotes 5, 73	NATIONAL SECURITY
	FIXED	
86-90	MARITIME MOBILE	CIVIL
	RADIONAVIGATION	NATIONAL SECURITY
	Footnotes 2, 6, 73, 259	
	RADIONAVIGATION	CIVII
90-110	Fixed	
	Footnotes 1, 73, 237	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
	FIXED	
110-112	MARITIME MOBILE	CIVIL
	RADIONAVIGATION	NATIONAL SECURITY
	Footnotes 1, 73	
112-115	RADIONAVIGATION	CIVIL
	Footnotes 5, 73	NATIONAL SECURITY
	RADIONAVIGATION	
115-117.6	Fixed	CIVIL
	Maritime mobile	NATIONAL SECURITY
	Footnotes 1, 5, 6, 73	
	FIXED	
117.6-126	MARITIME MOBILE	CIVIL
	RADIONAVIGATION	NATIONAL SECURITY
	Footnotes 1, 5, 6, 73	
126-129	RADIONAVIGATION	CIVIL
120 120	Footnotes 5, 73	NATIONAL SECURITY
	FIXED	
129-130	MARITIME MOBILE	CIVIL
120 100	RADIONAVIGATION	NATIONAL SECURITY
	Footnotes 1, 5, 6, 73	
	FIXED	CIVII
130-135.7	MARITIME MOBILE	NATIONAL SECURITY
	Footnotes 1, 6, 73	
	FIXED	
135 7-137 8	MARITIME MOBILE	CIVIL
	Amateur	NATIONAL SECURITY
	Footnotes 1, 6, 71, 73	
	FIXED	CIVII
137.8-148.5	MARITIME MOBILE	NATIONAL SECURITY
	Footnotes 1, 6, 73	
148 5-255	BROADCASTING	CIVII
110.0 200	Footnotes 1, 8, 73	
	BROADCASTING	CIVII
255-283.5	AERONAUTICAL RADIONAVIGATION	NATIONAL SECURITY
	Footnote 73	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
	AERONAUTICAL RADIONAVIGATION	CIVII
283.5-315	MARITIME RADIONAVIGATION (RADIOBEACON)	NATIONAL SECURITY
	Footnotes 8, 10, 73, 238, 239	
	AERONAUTICAL RADIONAVIGATION	CIVII
315-325	Maritime Radionavigation (radiobeacons)	NATIONAL SECURITY
	Footnotes 8, 73, 238	
325-405	AERONAUTICAL RADIONAVIGATION	CIVIL
525-405	Footnotes 8, 73	NATIONAL SECURITY
405-415	RADIONAVIGATION	CIVIL
403-413	Footnotes 8, 23, 73	NATIONAL SECURITY
_	MARITIME MOBILE	
415-435	AERONAUTICAL RADIONAVIGATION	CIVIL
	Footnotes 8, 73, 240, 242	
	MARITIME MOBILE	
435-472	Aeronautical Radionavigation	CIVIL
	Footnotes 8, 73, 240, 242	
	MARITIME MOBILE	
472 470	Amateur	
472-479	Aeronautical Radionavigation	CIVIL
	Footnotes 8, 73, 240, 242, 260	
	MARITIME MOBILE	
479-495	Aeronautical Radionavigation	CIVIL
	Footnotes 8, 73, 240, 241, 242	
405 505	MOBILE	01///
495-505	Footnotes 8, 73, 363	CIVIL
	MARITIME MOBILE	
505-526.5	AERONAUTICAL RADIONAVIGATION	CIVIL
	Footnotes 8, 17, 73, 240, 241	
500 F 4000 F	BROADCASTING	01///
526.5-1606.5	Footnote 73	CIVIL
	FIXED	
	MARITIME MOBILE	
1606.5-1625	LAND MOBILE	
	Radiolocation	NATIONAL SECURITY
	Footnote 73	
4005 4005	RADIOLOCATION	CIVIL
1025-1635	Footnote 73	NATIONAL SECURITY

FREQUENCY BAND kHz	RADIO SERVICES	USERS
	FIXED	
1635-1800	MARITIME MOBILE	CIVIL
1000 1000	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
1800-1810	RADIOLOCATION	CIVIL
	Footnote 73	NATIONAL SECURITY
1810-1850	AMATEUR	CIVII
	Footnote 73	
	FIXED	
1850-2000	MOBILE except aeronautical mobile	CIVIL
1030-2000	Amateur	NATIONAL SECURITY
	Footnotes 73, 246	
	FIXED	
2000-2025	MOBILE except aeronautical mobile (R)	
	Footnotes 73, 246	NATIONAL SECORT
_	FIXED	
2025-2045	MOBILE except aeronautical mobile (R)	
	Footnotes 73, 246, 358	NATIONAL SECORT
_	FIXED	
2045 2160	MARITIME MOBILE	CIVIL
2045-2160	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
2160 2170	RADIOLOCATION	
2100-2170	Footnotes 8, 73	CIVIL
2170 2172 5	MARITIME MOBILE	
2170-2173.5	Footnotes 8, 73	GIVIL
2173 5-2100 5	MOBILE (distress and calling)	
2173.3-2130.3	Footnotes 32, 65, 73, 105, 247	GIVIE
2100 5-210/	MARITIME MOBILE	
2190.3-2194	Footnotes 8, 73	CIVIL
	FIXED	CIVII
2194-2300	MOBILE except aeronautical mobile (R)	NATIONAL SECURITY
	Footnotes 73, 246	
	FIXED	CIVII
2300-2498	MOBILE except aeronautical mobile (R)	NATIONAL SECURITY
	Footnotes 73, 246	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
2498-2501	STANDARD FREQUENCY AND TIME SIGNAL (2500 kHz) Footnote 73	CIVIL
2501-2502	STANDARD FREQUENCY AND TIME SIGNAL Space Research	CIVIL
	Footnote 73	
2502-2625	FIXED MOBILE except aeronautical mobile (R) Ecotnotes 73, 246	CIVIL NATIONAL SECURITY
2625-2650	MARITIME MOBILE MARITIME RADIONAVIGATION Footnote 73	CIVIL NATIONAL SECURITY
2650-2850	FIXED MOBILE except aeronautical mobile (R) Footnotes 73, 246	CIVIL NATIONAL SECURITY
2850-3025	AERONAUTICAL MOBILE (R) Footnotes 8, 19, 21, 73, 105	CIVIL
3025-3155	AERONAUTICAL MOBILE (OR) Footnotes 21, 73	CIVIL NATIONAL SECURITY
3155-3200	FIXED MOBILE except aeronautical mobile (R) Footnotes 21, 73	CIVIL NATIONAL SECURITY
3200-3230	FIXED MOBILE except aeronautical mobile (R) Footnotes 21, 73	CIVIL NATIONAL SECURITY
3230-3400	FIXED MOBILE except aeronautical mobile Footnotes 21, 73	CIVIL NATIONAL SECURITY
3400-3500	AERONAUTICAL MOBILE (R) Footnotes 8, 21, 73	CIVIL
3500-3800	AMATEUR FIXED MOBILE except aeronautical mobile Footnotes 21, 73	CIVIL NATIONAL SECURITY
3800-3900	FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE Footnotes 21, 73	CIVIL NATIONAL SECURITY

FREQUENCY BAND kHz	RADIO SERVICES	USERS
3000-3950	AERONAUTICAL MOBILE (OR)	CIVIL
3900-3930	Footnotes 21, 73	NATIONAL SECURITY
	FIXED	
3950-4000	BROADCASTING	NATIONAL SECURITY
	Footnotes 21, 73	NATIONAL SECONT
	FIXED	CIVII
4000-4063	MARITIME MOBILE	NATIONAL SECURITY
	Footnotes 73, 248	
4062 4429	MARITIME MOBILE	CIVIL
4003-4436	Footnotes 65, 73, 241, 247, 249, 250, 251	NATIONAL SECURITY
	FIXED	
4420 4400	MOBILE except aeronautical mobile (R)	CIVIL
4430-4400	Radiolocation	NATIONAL SECURITY
	Footnotes 73, 261	
-	FIXED	
4488-4650	MOBILE except aeronautical mobile (R)	
	Footnote 73	NATIONAL SECURITY
4650 4700	AERONAUTICAL MOBILE (R)	CIVIL
4650-4700	Footnotes 8, 73	NATIONAL SECURITY
4700-4750	AERONAUTICAL MOBILE (OR)	CIVIL
4700-4730	Footnote 73	NATIONAL SECURITY
	FIXED	
4750-4850	AERONAUTICAL MOBILE (OR)	CIVIL
4750 4050	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
	FIXED	CIVII
4850-4995	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
4995-5003	STANDARD FREQUENCY AND TIME SIGNAL (5000 kHz)	CIVIL
	STANDARD FREQUENCY AND TIME SIGNAL	
5003-5005	Space Research	CIVIL
	Footnote 73	
5005-5060	FIXED	CIVIL
	Footnote 73	NATIONAL SECURITY
	FIXED	CIVII
5060-5250	Mobile except aeronautical mobile	
	Footnote 73	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
	FIXED	
5250-5275	MOBILE except aeronautical mobile	CIVIL
	Radiolocation	NATIONAL SECURITY
	Footnotes 73, 261, 298	
	FIXED	CIVII
5275-5351.5	MOBILE except aeronautical mobile	NATIONAL SECURITY
	Footnotes 73, 298	
	FIXED	
	MOBILE except aeronautical mobile	CIVIL
5351.5-5366.5	AMATEUR	NATIONAL SECURITY
	Footnotes 73, 326	
	FIXED	
5366.5-5450	MOBILE except aeronautical mobile	
	Footnotes 73, 298	NATIONAL SECURITY
	FIXED	
5450 5400	AERONAUTICAL MOBILE (OR)	CIVIL
5450-5480	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
E 400 E C00	AERONAUTICAL MOBILE (R)	<u> </u>
5480-5680	Footnotes 8, 19, 73, 105	CIVIL
5000 5700	AERONAUTICAL MOBILE (OR)	CIVIL
5680-5730	Footnotes 19, 73, 105	NATIONAL SECURITY
	FIXED	
5730-5900	LAND MOBILE	
	Footnote 73	NATIONAL SECURITY
5000 5050	BROADCASTING	01///
5900-5950	Footnotes 73, 252, 327	CIVIL
5050 6200	BROADCASTING	
5950-6200	Footnote 73	CIVIL
6200 6525	MARITIME MOBILE	CIVIL
6200-6525	Footnotes 65, 73, 247, 249, 251, 328	NATIONAL SECURITY
0505 0005	AERONAUTICAL MOBILE (R)	011/11
0929-0089	Footnotes 8, 73	GIVIL
AERONAU	AERONAUTICAL MOBILE (OR)	CIVIL
0000-0700	Footnote 73	NATIONAL SECURITY

FREQUENCY BAND kHz	RADIO SERVICES	USERS
	FIXED	CIVII
6765-7000	MOBILE except aeronautical mobile (R)	NATIONAL SECURITY
	Footnotes 67, 73	
	AMATEUR	
7000-7100	AMATEUR-SATELLITE	CIVIL
	Footnote 73	
7100-7200	AMATEUR	CIVII
1100 1200	Footnote 73	
7200-7300	BROADCASTING	CIVII
7200 7300	Footnote 73	SIVIE
7300-7400	BROADCASTING	
7300-7400	Footnotes 73, 252, 329	GIVIL
7400-7450	BROADCASTING	
7400-7430	Footnote 73	GIVIL
	FIXED	CIVII
7450-8100	MOBILE except aeronautical mobile (R)	NATIONAL SECURITY
	Footnote 73	
	FIXED	CIVII
8100-8195	MARITIME MOBILE	NATIONAL SECURITY
	Footnote 73	
8195-8815	MARITIME MOBILE	CIVIL
	Footnotes 54, 65, 73, 105, 247, 251	NATIONAL SECURITY
8815-8965	AERONAUTICAL MOBILE (R)	CIVII
	Footnotes 8, 73	
8965-9040	AERONAUTICAL MOBILE (OR)	CIVIL
	Footnote 73	NATIONAL SECURITY
9040-9305	FIXED	CIVIL
	Footnote 73	NATIONAL SECURITY
	FIXED	CIVII
9305-9355	Radiolocation	NATIONAL SECURITY
	Footnotes 73, 262	
9355-9400	FIXED	CIVIL
3333 3400	Footnote 73	NATIONAL SECURITY
9400-9500	BROADCASTING	CIVII
0700-3000	Footnotes 73, 74, 252	
9500-9900	BROADCASTING	CIVII
2000-2200	Footnotes 73, 111	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
9900-9995	FIXED	CIVIL
	Footnote 73	NATIONAL SECURITY
9995-10003	STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz)	CIVII
	Footnotes 73, 105	
	STANDARD FREQUENCY AND TIME SIGNAL	
10003-10005	Space Research	CIVIL
	Footnotes 73, 105	
10005-10100	AERONAUTICAL MOBILE (R)	
10003-10100	Footnotes 8, 73, 105	
	FIXED	
10100-10150	Amateur	
	Footnote 73	NATIONAL SECORT
	FIXED	
10150-11175	Mobile except aeronautical mobile (R)	
	Footnote 73	NATIONAL SECORT
11175 11075	AERONAUTICAL MOBILE (OR)	CIVIL
11175-11275	Footnote 73	NATIONAL SECURITY
11075 11400	AERONAUTICAL MOBILE (R)	
11275-11400	Footnotes 8, 73	
11400 11600	FIXED	CIVIL
11400-11000	Footnote 73	NATIONAL SECURITY
11600-11650	BROADCASTING	
11000 11000	Footnotes 73, 74, 252	OTTL
11650-12050	BROADCASTING	CIVII
11030 12030	Footnotes 73, 111	OTTL
12050-12100	BROADCASTING	CIVII
12030-12100	Footnotes 73, 74, 252	
12100-12230	FIXED	CIVIL
12100 12200	Footnote 73	NATIONAL SECURITY
12230-13200	MARITIME MOBILE	CIVIL
12230-13200	Footnotes 54, 65, 73, 247, 251	NATIONAL SECURITY
13200-12260	AERONAUTICAL MOBILE (OR)	CIVIL
13200-13200	Footnote 73	NATIONAL SECURITY
12260 12260	AERONAUTICAL MOBILE (R)	
13200-13300	Footnotes 8, 73	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
	FIXED	CIVII
13360-13410	RADIO ASTRONOMY	NATIONAL SECURITY
	Footnotes 73, 87	
	FIXED	CIVII
13410-13450	Mobile except aeronautical mobile (R)	NATIONAL SECURITY
	Footnote 73	
	FIXED	
13450-13550	Mobile except aeronautical mobile (R)	CIVIL
10400 10000	Radiolocation	NATIONAL SECURITY
	Footnotes 73, 261	
	FIXED	CIVII
13550-13570	Mobile except aeronautical mobile (R)	NATIONAL SECURITY
	Footnotes 67, 73	
13570-13600	BROADCASTING	CIVII
13370-13000	Footnotes 3, 73, 252	GIVIE
13600-13800	BROADCASTING	
13000-13000	Footnote 73	CIVIL
13800-13870	BROADCASTING	CIVII
13000-13070	Footnotes 3, 73, 252	GIVIE
	FIXED	CIVII
13870-14000	Mobile except aeronautical mobile (R)	NATIONAL SECURITY
	Footnote 73	
	AMATEUR	
14000-14250	AMATEUR-SATELLITE	CIVIL
	Footnote 73	
14250-14350	AMATEUR	CIVII
14200 14000	Footnote 73	OTTL
	FIXED	CIVII
14350-14990	Mobile except aeronautical mobile (R)	NATIONAL SECURITY
	Footnote 73	
14000 45005	STANDARD FREQUENCY AND TIME SIGNAL (15 000 KHz)	
14330-13003	Footnotes 73, 105	GIVIE
	STANDARD FREQUENCY AND TIME SIGNAL	
15005-15010	Space Research	CIVIL
	Footnote 73	
15010-15100	AERONAUTICAL MOBILE (OR)	CIVIL
13010-13100	Footnotes 8, 73	NATIONAL SECURITY

FREQUENCY BAND kHz	RADIO SERVICES	USERS
15100-15600	BROADCASTING	CIVIL
	Footnote 73	
15600-15800	BROADCASTING	CIVIL
	Footnotes 73, 74, 252	
15800-16100	FIXED	CIVIL
	Footnote 73	NATIONAL SECURITY
	FIXED	CIVIL
16100-16200	Radiolocation	NATIONAL SECURITY
	Footnotes 73, 262	
16200-16360	FIXED	CIVIL
10200 10000	Footnote 73	NATIONAL SECURITY
16360-17/10	MARITIME MOBILE	CIVIL
10300-17410	Footnotes 54, 65, 73, 247, 251	NATIONAL SECURITY
17/10-17/80	FIXED	NATIONAL SECURITY
17410-17400	Footnote 73	NATIONAL SECONT
17480-17550	BROADCASTING	
17400-17000	Footnotes 73, 74, 252	GIVIL
17550-17900	BROADCASTING	
17330-17300	Footnote 73	GIVIL
17000-17070	AERONAUTICAL MOBILE (R)	
17900-17970	Footnotes 8, 73	CIVIL
17070 18020	AERONAUTICAL MOBILE (OR)	CIVIL
17970-18030	Footnote 73	NATIONAL SECURITY
18030-18052	FIXED	CIVIL
10030 10032	Footnote 73	NATIONAL SECURITY
	FIXED	CIVII
18052-18068	Space Research	NATIONAL SECURITY
	Footnote 73	
	AMATEUR	
18068-18168	AMATEUR-SATELLITE	CIVIL
	Footnote 73	
	FIXED	
18168-18780	Mobile except aeronautical mobile	
	Footnote 73	INATIONAL SECURITY
19790 19000	MARITIME MOBILE	
10100-10900	Footnotes 8, 73	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
18900-19020	BROADCASTING	CIVII
10000 10020	Footnotes 73, 74, 252	
19020-19680	FIXED	NATIONAL SECURITY
	Footnote 73	
19680-19800	MARITIME MOBILE	CIVIL
	Footnotes 8, 73, 251	••••
19800-19990	FIXED	CIVIL
	Footnote 73	NATIONAL SECURITY
	STANDARD FREQUENCY AND TIME SIGNAL	
19990-19995	Space Research	CIVIL
	Footnotes 73, 105	
19995-20010	STANDARD FREQUENCY AND TIME SIGNAL (20 000 KHz)	CIVII
10000 20010	Footnotes 73, 105	
	FIXED	CIVII
20010-21000	Mobile	NATIONAL SECURITY
	Footnote 73	
	AMATEUR	
21000-21450	AMATEUR-SATELLITE	CIVIL
	Footnote 73	
21450-21850	BROADCASTING	CIVII
21430 21030	Footnote 73	OTTL
21850-21870	FIXED	CIVIL
21030-21070	Footnote 73	NATIONAL SECURITY
21870-21024	FIXED	CIVIL
21070-21924	Footnotes 25, 73	NATIONAL SECURITY
21024-22000	AERONAUTICAL MOBILE (R)	
21924-22000	Footnotes 8, 73	
22000-22855	MARITIME MOBILE	CIVIL
22000-22000	Footnotes 73, 251	NATIONAL SECURITY
22855-23000	FIXED	CIVIL
22033-23000	Footnote 73	NATIONAL SECURITY
	FIXED	
23000-23200	Mobile except aeronautical mobile (R)	
	Footnote 73	NATIONAL SECORT
	FIXED	
23200-23350	AERONAUTICAL MOBILE (OR)	
	Footnotes 25, 73	

FREQUENCY BAND kHz	RADIO SERVICES	USERS
	FIXED	CIVIL
23350-24000	MOBILE except aeronautical mobile	NATIONAL SECURITY
	Footnotes 38, 73	
	FIXED	CIVIL
24000-24450	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
	FIXED	
24450-24600	LAND MOBILE	CIVIL
24400 24000	Radiolocation	NATIONAL SECURITY
	Footnotes 73, 261	
	FIXED	CIVII
24600-24890	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
	AMATEUR	
24890-24990	AMATEUR-SATELLITE	CIVIL
	Footnote 73	
24000-25005	STANDARD FREQUENCY AND TIME SIGNAL (25 000 KHz)	
24990-23003	Footnote 73	GIVIL
	STANDARD FREQUENCY AND TIME SIGNAL	
25005-25010	Space Research	CIVIL
	Footnote 73	
	FIXED	
25010-25070	MOBILE except aeronautical mobile	CIVIL
	Footnote 73	
25070 25210	MARITIME MOBILE	
25070-25210	Footnotes 8, 73	CIVIL
	FIXED	
25210-25550	MOBILE except aeronautical mobile	
	Footnote 73	NATIONAL SECURITY
05550 05070	RADIO ASTRONOMY	011/11
25550-25670	Footnotes 73, 87	CIVIL
05070 00400	BROADCASTING	011//I
25670-26100	Footnote 73	GIVIL
00400 00475	MARITIME MOBILE	01/11
20100-20175	Footnotes 8, 73, 251	CIVIL

FREQUENCY BAND kHz	RADIO SERVICES	USERS
26175-26200	FIXED MOBILE except aeronautical mobile Footnote 73	CIVIL NATIONAL SECURITY
26200-26350	FIXED MOBILE except aeronautical mobile Radiolocation Footnotes 73, 261	CIVIL NATIONAL SECURITY
26350-27500	FIXED MOBILE except aeronautical mobile Footnotes 67, 73	CIVIL NATIONAL SECURITY
27500-28000	FIXED MOBILE METEOROLOGICAL AIDS Footnote 73	CIVIL NATIONAL SECURITY

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	AMATEUR	
28-29.7	AMATEUR-SATELLITE	CIVIL
	Footnote 73	
29 7-30 005	MOBILE	CIVIL
	Footnote 73	NATIONAL SECURITY
30 005-30 01	MOBILE	CIVIL
00.000 00.01	Footnote 73	NATIONAL SECURITY
30.01-37.5	MOBILE	CIVII
00.01 07.0	Footnotes 30, 73	
	MOBILE	CIVII
37.5-38.25	Radio Astronomy	NATIONAL SECURITY
	Footnotes 73, 87	
38 25-39	MOBILE	CIVII
00.20 00	Footnotes 30, 73	
	MOBILE	
39-39.5	Radiolocation	CIVIL
	Footnotes 35, 73, 261	
39 5-39 986	MOBILE	CIVII
00.0 00.000	Footnotes 35, 73	
	MOBILE	
39.986-40.02	Space Research	CIVIL
	Footnotes 35, 73	
40.02-40.66	MOBILE	CIVII
40.02-40.00	Footnotes 35, 73	
40.66-40.7	MOBILE	CIVII
40.00-40.7	Footnotes 35, 67, 73	
40.7-40.98	MOBILE	CIVII
40.7 40.00	Footnotes 35, 73	
	MOBILE	
40.98-41.015	Space Research	CIVIL
	Footnotes 35, 73	
41 015- 42	MOBILE	
41.015-42	Footnotes 35, 73	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	FIXED	
12-12 5	MOBILE	NATIONAL SECURITY
42-42.5	Radiolocation	NATIONAL SECONT
	Footnotes 73, 261	
42 5-44	MOBILE	NATIONAL SECURITY
72.0 77	Footnote 73	
44-46 475	MOBILE	CIVII
44-40.475	Footnotes 73, 75	
40.475.40.5	LAND MOBILE	NATIONAL SECURITY
46.475-48.5	Footnotes 68, 73, 75	
10 5 50	LAND MOBILE	
48.5-50	Footnotes 48, 73, 75	
	LAND MOBILE	
50-51	Amateur	CIVIL
	Footnotes 63, 73	
	LAND MOBILE	
51-52	Amateur	CIVIL
	Footnotes 48, 63, 73	
52-60	LAND MOBILE	
52-00	Footnotes 13, 31, 33, 48, 73	
60-63	LAND MOBILE	NATIONAL SECURITY
00-03	Footnote 73	
63-68	LAND MOBILE	
00-00	Footnotes 48, 73	
	MOBILE	
68-70.45	Amateur	CIVIL
	Footnotes 31, 73, 298	
	MOBILE except aeronautical mobile	
70 45-74 8	Radio Astronomy	CIVII
10.45 7 4.0	Amateur	
	Footnotes 30, 31, 73, 87, 298	
74 9 75 0	AERONAUTICAL RADIONAVIGATION	CIVII
74.0-73.2	Footnotes 8, 31, 34, 73	
75 2-87 5	MOBILE	CIVII
10.2-01.0	Footnotes 30, 31, 73	
87 5-108	BROADCASTING	CIVII
87.5-108	Footnote 73	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	AERONAUTICAL RADIONAVIGATION	
108-117.975	AERONAUTICAL MOBILE (R)	CIVIL
	Footnotes 8, 73, 76	
117.975-	AERONAUTICAL MOBILE (R)	CIVIL
121.45	Footnotes 8, 73	
121 45 121 55	AERONAUTICAL MOBILE (R)	CIVIL
121.45-121.55	Footnotes 8, 43, 73, 105	
101 55 100	AERONAUTICAL MOBILE (R)	CIVII
121.55-136	Footnotes 8, 43, 39, 73	OTTL
400 407	AERONAUTICAL MOBILE (R)	CIVII
136-137	Footnotes 8, 39, 73	OTTL
	AERONAUTICAL MOBILE (OR)	
	METEOROLOGICAL-SATELLITE (space-to- Earth)	
	MOBILE	CIVIL
137-137.025	MOBILE-SATELLITE (space-to-Earth)	NATIONAL SECURITY
	SPACE OPERATION (space-to-Earth)	
	SPACE RESEARCH (space-to-Earth)	
	Footnotes 73, 80, 89, 117, 254, 364	
	AERONAUTICAL MOBILE (OR)	
	METEOROLOGICAL-SATELLITE (space-to- Earth)	
127.025	MOBILE	CIVIL
137.175	SPACE OPERATION (space-to-Earth)	NATIONAL SECURITY
	SPACE RESEARCH (space-to-Earth)	
	Mobile-Satellite (space-to-Earth)	
	Footnotes 73, 80, 89, 117, 254, 364	
	AERONAUTICAL MOBILE (OR)	
137.175- 137.825	METEOROLOGICAL-SATELLITE (space-to- Earth)	
	MOBILE	CIVIL
	MOBILE-SATELLITE (space-to-Earth)	NATIONAL SECURITY
	SPACE OPERATION (space-to-Earth)	
	SPACE RESEARCH (space-to-Earth)	
	Footnotes 73, 80, 89, 117, 254, 364, 377	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	AERONAUTICAL MOBILE (OR)	
	METEOROLOGICAL-SATELLITE (space-to- Earth)	
	MOBILE	CIVIL
137.825-138	SPACE OPERATION (space-to-Earth)	NATIONAL SECURITY
	SPACE RESEARCH (space-to-Earth)	
	Mobile-Satellite (space-to-Earth)	
	Footnotes 73, 80, 89, 117, 254, 364	
	AERONAUTICAL MOBILE (OR)	
	LAND MOBILE	CIVIL
138-143.6	Space Research (space-to-Earth)	NATIONAL SECURITY
	Footnote 73	
	AERONAUTICAL MOBILE (OR)	
	LAND MOBILE	CIVIL
143.6-143.65	SPACE RESEARCH (space-to-Earth)	NATIONAL SECURITY
	Footnote 73	
	AERONAUTICAL MOBILE (OR)	CIVII
143.65-144	LAND MOBILE	NATIONAL SECURITY
	Footnote 73	
	AMATEUR	
144-146	AMATEUR-SATELLITE	CIVIL
	Footnote 73	
146-146.8	MOBILE	CIVIL
140-140.0	Footnotes 44, 73	
146 8-148	MOBILE	CIVIL
	Footnotes 44, 48, 73, 300	
	MOBILE-SATELLITE (Earth-to-space)	
148-148.95		CIVIL
	Footnotes 24, 42, 48, 73, 80, 300, 302, 384	
	MOBILE-SATELLITE (Earth-to-space)	CIVIL
148.95-149.9		NATIONAL SECURITY
	Footnotes 24, 42, 73, 80, 302, 384	
		CIVIL
149.9-150.05	MOBILE-SATELLITE (Earth-to-space)	NATIONAL SECURITY
150.05 450		CIV/II
150.05-153		GIVIL
	Footnotes 30, 48, 73, 87, 300	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
153-154	MOBILE except aeronautical mobile (R)	CIVIL
	Footnotes 30, 48, 66, 73, 300	
154-156.4875	MOBILE except aeronautical mobile (R)	CIVIL
	Footnotes 46, 48, 66, 73, 300	
156.4875-	MARITIME MOBILE (distress and calling via DSC)	CIVII
156.5125	Footnotes 46, 66, 73, 280	
156.5125-	MARITIME MOBILE(distress and calling via DSC)	CIVII
156.5375	Footnotes 46, 66, 73, 105, 280	
	MOBILE except aeronautical mobile (R)	
156.5375- 156.5625	MARITIME MOBILE (distress and calling via DSC)	CIVIL
	Footnotes 46, 66, 73, 280	
156.5625-	MOBILE except aeronautical mobile	
156.7625	Footnotes 46, 66, 73	
156.7625-	MARITIME MOBILE (distress and calling)	CIVII
156.7875	Footnotes 46, 66, 73, 263	
156.7875-	MARITIME MOBILE (distress and calling)	CIVII
156.8125	Footnotes 46, 66, 73, 105	
156.8125-	MARITIME MOBILE	CIVII
156.8375	Footnotes 46, 66, 73, 263	
156.8375-	MOBILE except aeronautical mobile	CIVII
157.1875	Footnotes 46, 66, 73	
457 4075	MOBILE except aeronautical mobile	
157.1875-	Maritime mobile-satellite	CIVIL
	Footnotes 46, 66, 73, 89, 254, 365, 366	
157.3375-	MOBILE except aeronautical mobile	CIVIL
161.7875	Footnotes 46, 66, 73, 300	NATIONAL SECURITY
	MOBILE except aeronautical mobile	
161.7875- 161.9375	Maritime mobile-satellite	CIVIL
	Footnotes 46, 66, 73, 89, 254, 365, 366	
161.9375- 161.9625	MOBILE except aeronautical mobile	
	Maritime mobile-satellite (Earth-to-space)	CIVIL
	Footnotes 30, 46, 66, 73, 300, 303	
	MOBILE except aeronautical mobile	
161.9625-	Mobile-Satellite (Earth-to-space)	CIVIL
101.9070	Footnotes 46, 48, 66, 73, 367	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
161 0975	MARITIME MOBILE-SATELLITE (Earth-to-space)	
162.0125	MOBILE except aeronautical mobile	CIVIL
	Footnotes 46, 48, 66, 73, 303	
162.0125-	MOBILE except aeronautical mobile	CIVII
162.0375	Footnotes 46, 48, 66, 73	
162.0375-	MOBILE except aeronautical mobile	CIVIL
169.4	Footnotes 46, 66, 73, 300	NATIONAL SECURITY
169.4-	MOBILE except aeronautical mobile	CIVII
169.8125	Footnote 73	GIVIL
160 9105 174	MOBILE except aeronautical mobile	
109.0125-174	Footnote 73	NATIONAL SECURITY
174 220	BROADCASTING	
174-230	Footnote 73	GIVIL
220.225	MOBILE	
230-235	Footnote 73	NATIONAL SECURITY
225 240	MOBILE	
233-240	Footnotes 73, 84	NATIONAL SECORT
240-242.05	MOBILE	NATIONAL SECURITY
240-242.95	Footnotes 73, 84	NATIONAL SECONT
242 95-243 05	AERONAUTICAL MOBILE	CIVII
242.33-243.03	Footnotes 50, 73, 84, 105	
243 05-267	MOBILE	NATIONAL SECURITY
210.00 201	Footnotes 73, 84	
267-272	MOBILE	NATIONAL SECURITY
	Footnotes 52, 73, 84	
272-273	MOBILE	NATIONAL SECURITY
	Footnotes 73, 84	
273-312	MOBILE	NATIONAL SECURITY
	Footnotes 73, 84	
312-315	MOBILE	NATIONAL SECURITY
	Footnotes 73, 84	
315-322	MOBILE	NATIONAL SECURITY
	Footnotes 73, 84	
	MOBILE	
322-328.6	RADIO ASTRONOMY	NATIONAL SECURITY
	Footnotes 73, 87	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
328.6-335.4	AERONAUTICAL RADIONAVIGATION Footnotes 8, 72, 73	CIVIL
335.4-380	MOBILE Footnotes 73, 84	NATIONAL SECURITY
380-385	MOBILE Footnotes 64, 73, 84	NATIONAL SECURITY
385-387	MOBILE Footnotes 73, 84	NATIONAL SECURITY
387-390	MOBILE Footnotes 73, 84, 254	NATIONAL SECURITY
390-395	MOBILE Footnotes 64, 73, 84	NATIONAL SECURITY
395-399.9	MOBILE Footnotes 73, 84	NATIONAL SECURITY
399.9-400.05	MOBILE-SATELLITE (Earth-to-space) Footnotes 24, 73, 80, 368, 369	CIVIL
400.05-400.15	STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) Footnotes 73, 304	CIVIL
400.15-401	METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to- Earth) MOBILE-SATELLITE (space-to-Earth) SPACE OPERATION (space-to-Earth)	CIVIL
	SPACE RESEARCH (space-to-Earth) Footnotes 73, 80, 89, 137, 173, 254	
401-402	EARTH EXPLORATION-SATELLITE (Earth-to- space) SPACE OPERATION (space-to-Earth) METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (Earth-to- space) Footnotes 73, 370, 371	CIVIL
402-403	EARTH EXPLORATION-SATELLITE (Earth-to- space) METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (Earth-to- space) Footnotes 73, 370, 371	CIVIL

FREQUENCY BAND MHz	RADIO SERVICES	USERS
403-406	METEOROLOGICAL AIDS Footnotes 73, 305	CIVIL
406-406.1	MOBILE-SATELLITE (Earth-to-space) Footnotes 59, 73, 305	CIVIL
406.1-410	LAND MOBILE RADIO ASTRONOMY Footnotes 73, 87, 305	CIVIL
410-418	MOBILE except aeronautical mobile Footnote 73	CIVIL
418-420	MOBILE except aeronautical mobile Footnote 73	NATIONAL SECURITY
420-428	MOBILE except aeronautical mobile Radiolocation Footnotes 48, 73	CIVIL
428-430	MOBILE except aeronautical mobile Radiolocation Footnote 73	NATIONAL SECURITY
430-432	AMATEUR RADIOLOCATION Footnote 73	CIVIL NATIONAL SECURITY
432-433.05	AMATEUR RADIOLOCATION Earth exploration-satellite (active) Footnotes 73, 79	CIVIL NATIONAL SECURITY
433.05-434.79	AMATEUR RADIOLOCATION Land mobile Earth exploration-satellite (active) Footnotes 67, 73, 79	CIVIL NATIONAL SECURITY
434.79-438	AMATEUR AMATEUR-SATELLITE RADIOLOCATION Earth exploration-satellite (active) Footnotes 73, 79	CIVIL NATIONAL SECURITY
438-440	AMATEUR RADIOLOCATION Footnote 73	CIVIL NATIONAL SECURITY

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	MOBILE except aeronautical mobile	
440-450	Radiolocation	CIVIL
	Footnotes 20, 48, 73	
450-455	MOBILE	CIVIL
	Footnotes 69, 73, 85	NATIONAL SECURITY
455-456	MOBILE	CIVIL
	Footnotes 69, 73, 85	
456-459	MOBILE	
	Footnotes 11, 69, 73, 85	NATIONAL SECURITY
459-460	MOBILE	
	Footnote 73	NATIONAL SECURITY
460-470	MOBILE	
	Footnotes 11, 69, 73, 85, 183	NATIONAL SECURITY
470-478	BROADCASTING	CIVIL
	Footnotes 73, 306	
478-494	BROADCASTING	
	Footnotes 70, 73, 306	NATIONAL SECURITY
494-590	BROADCASTING	CIVIL
	Footnotes 73, 306	• • • •
590-614	BROADCASTING	
	Footnotes 70, 73, 306	NATIONAL SECURITY
614-646	BROADCASTING	CIVIL
	Footnotes 73, 306	
646-694	BROADCASTING	CIVIL
	Footnotes 73, 306	
694-698	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 264, 281	
698-703	MOBILE except aeronautical mobile	NATIONAL SECURITY
	Footnotes 64, 73, 264, 281	
703-726	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 264, 281	
726-758	MOBILE except aeronautical mobile	CIVIL
	Footnotes 64, 73, 264, 281, 362	NATIONAL SECURITY
758-778	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 264, 281	
778-790	MOBILE except aeronautical mobile	CIVIL
110-190	Footnotes 73, 264, 281, 362	NATIONAL SECURITY

FREQUENCY BAND MHz	RADIO SERVICES	USERS
790-811	MOBILE except aeronautical mobile	CIVIL
750 011	Footnotes 73, 265, 281, 362	NATIONAL SECURITY
811-822	MOBILE except aeronautical mobile	
011 022	Footnotes 73, 265, 281, 301	CIVIL
822-852	MOBILE except aeronautical mobile	CIVIL
022-032	Footnotes 73, 265, 281, 362	NATIONAL SECURITY
852-862	MOBILE except aeronautical mobile	
052-002	Footnotes 73, 265, 281	CIVIL
	MOBILE	
862-870	AERONAUTICAL RADIONAVIGATION	
	Footnotes 73, 138, 281	NATIONAL SECONT
	MOBILE	
870-876	AERONAUTICAL RADIONAVIGATION	
	Footnotes 45, 73, 138, 281	NATIONAL SECONT
	MOBILE	CIVII
876-880	AERONAUTICAL RADIONAVIGATION	NATIONAL SECURITY
	Footnotes 45, 73, 138, 281	
880-890	MOBILE	CIVII
	Footnotes 73, 281	
	MOBILE	
890-915	Radiolocation	CIVIL
	Footnotes 73, 281	
	MOBILE	
915-921	AERONAUTICAL RADIONAVIGATION	CIVIL
515 521	Radiolocation	NATIONAL SECURITY
	Footnotes 45, 73, 138, 281	
	MOBILE	CIVII
921-925	AERONAUTICAL RADIONAVIGATION	
	Footnotes 45, 73, 138, 281	NATIONAL SECONT
	MOBILE	
925-942	Radiolocation	CIVIL
	Footnotes 73, 281	
942-960	MOBILE	CIVII
942-900	Footnotes 73, 281	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	AERONAUTICAL RADIONAVIGATION	
960-1164	AERONAUTICAL MOBILE (R)	CIVIL
300-1104	AERONAUTICAL MOBILE-SATELLITE (R)	NATIONAL SECURITY
	Footnotes 8, 73, 169, 266, 307	
	AERONAUTICAL RADIONAVIGATION	
1164-1215	RADIONAVIGATION-SATELLITE (space-to- Earth) (space-to-space)	CIVIL NATIONAL SECURITY
	Footnotes 73, 164, 169, 170	
	EARTH EXPLORATION-SATELLITE (active)	
	RADIOLOCATION	
1215-1240	RADIONAVIGATION-SATELLITE (space-to- Earth) (space-to-space)	CIVIL NATIONAL SECURITY
	SPACE RESEARCH (active)	
	Footnotes 73, 161, 170, 171, 172	
	EARTH EXPLORATION-SATELLITE (active)	
	RADIOLOCATION	
4040 4000	RADIONAVIGATION-SATELLITE (space-to- Earth) (space-to-space)	CIVIL
1240-1300	SPACE RESEARCH (active)	NATIONAL SECURITY
	Amateur	
	Amateur-Satellite	
	Footnotes 73, 161, 170, 171, 172	
	AERONAUTICAL RADIONAVIGATION	
1300-1350	RADIONAVIGATION-SATELLITE (Earth-to- space)	CIVIL
	RADIOLOCATION	NATIONAL SECURITY
	Footnotes 53, 73, 87, 167	
	FIXED	
1250 1400	MOBILE	CIVIL
1350-1400	RADIOLOCATION	NATIONAL SECURITY
	Footnotes 73, 82, 87, 155, 189	
	EARTH EXPLORATION-SATELLITE (passive)	
1400-1427	RADIO ASTRONOMY	0.01/11
	SPACE RESEARCH (passive)	CIVIL
	Footnotes 73, 88	
	FIXED	
1407 1400	MOBILE except aeronautical mobile	CIVIL
1427-1429	SPACE OPERATION (Earth-to-space)	NATIONAL SECURITY
	Footnotes 73, 155, 189, 308	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	FIXED	CIVII
1429-1452	MOBILE except aeronautical mobile	NATIONAL SECURITY
	Footnotes 73, 155, 189, 308	
	MOBILE except aeronautical mobile	
1452-1492	Fixed	CIVIL
	Footnote 73	
	FIXED	CIVII
1492-1518	MOBILE except aeronautical mobile	NATIONAL SECURITY
	Footnotes 73, 155	NATIONAL SECONT
	FIXED	
1518-1525	MOBILE except aeronautical mobile	CIVIL
1310-1323	MOBILE-SATELLITE (space-to-Earth)	NATIONAL SECURITY
	Footnotes 73, 155, 157, 175	
	SPACE OPERATION (space-to-Earth)	
1525-1530	FIXED	
1323-1330	MOBILE-SATELLITE (space-to-Earth)	CIVIL
	Footnotes 73, 156, 157, 158, 254	
	MOBILE-SATELLITE (space-to-Earth)	
	SPACE OPERATION (space-to-Earth)	
1530-1533	Fixed	
1000-1000	Earth Exploration-Satellite	GIVIE
	Mobile except aeronautical mobile	
	Footnotes 73, 135, 156, 157, 158, 254	
	MOBILE-SATELLITE (space-to-Earth)	
	SPACE OPERATION (space-to-Earth)	
1533-1535	AERONAUTICAL MOBILE	CIVIL
1000 1000	Earth Exploration-Satellite	NATIONAL SECURITY
	Mobile except aeronautical mobile	
	Footnotes 73, 135, 156, 157, 158, 184, 254	
1535-1559	MOBILE-SATELLITE (space-to-Earth)	
	Footnotes 73, 135, 136, 156, 157, 158, 159, 160, 254	CIVIL
	AERONAUTICAL RADIONAVIGATION	
1559-1610	RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)	CIVIL
	Footnotes 73, 161, 170, 254	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
1610-1610.6	AERONAUTICAL RADIONAVIGATION	
	MOBILE-SATELLITE (Earth-to-space)	CIVIL
	Footnotes 73, 146, 157, 267, 282, 283, 284, 285	
	AERONAUTICAL RADIONAVIGATION	
	MOBILE-SATELLITE (Earth-to-space)	
1610.6-1613.8	RADIO ASTRONOMY	CIVIL
	Footnotes 73, 87, 146, 157, 267, 282, 283, 284, 285	
	AERONAUTICAL RADIONAVIGATION	
	MOBILE-SATELLITE (Earth-to-space)	
1613.8-1621.35	Mobile-Satellite (space-to-Earth)	CIVIL
	Footnotes 73, 146, 157, 254, 267, 282, 283, 284, 285, 286	
	AERONAUTICAL RADIONAVIGATION	
	MARITIME MOBILE-SATELLITE (space-to-Earth)	
	MOBILE-SATELLITE (Earth-to-space)	
1621.35-1626.5	Mobile-Satellite except maritime mobile-satellite (space-to-Earth)	CIVIL
	Footnotes 73, 146, 157, 254, 267, 282, 283, 284, 285, 286, 372, 373	
	MOBILE-SATELLITE (Earth-to-space)	
1626.5-1660	Footnotes 73, 135, 156, 157, 158, 159, 160, 162, 372	CIVIL
	MOBILE-SATELLITE (Earth-to-space)	
1660-1660.5	RADIO ASTRONOMY	NATIONAL SECURITY
	Footnotes 73, 87, 155, 156, 157, 158, 308	NATIONAL SECONT
	RADIO ASTRONOMY	
	SPACE RESEARCH (passive)	CIVII
1660.5-1668	Fixed	
	Mobile except aeronautical mobile	NATIONAL SECONT
	Footnotes 73, 87, 155, 165	
	MOBILE-SATELLITE (Earth-to-space)	
	RADIO ASTRONOMY	
1669 4669 4	SPACE RESEARCH (passive)	CIVIL
1000-1000.4	Fixed	NATIONAL SECURITY
	Mobile except aeronautical mobile	
	Footnotes 73, 87, 155, 157, 165, 177	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	METEOROLOGICAL AIDS	
	FIXED	
1668 4-1670	MOBILE except aeronautical mobile	CIVIL
1000.1 1070	MOBILE-SATELLITE (Earth-to-space)	NATIONAL SECURITY
	RADIO ASTRONOMY	
	Footnotes 73, 87, 155, 157, 177, 178, 180	
	METEOROLOGICAL AIDS	
	METEOROLOGICAL-SATELLITE (space-to-Earth)	
1670-1675	MOBILE	
1070-1075	MOBILE-SATELLITE (Earth-to-space)	OIVIL
	Fixed	
	Footnotes 73, 157, 177, 178, 179, 180	
	METEOROLOGICAL AIDS	
	FIXED	
1675-1690	METEOROLOGICAL-SATELLITE (space-to- Earth)	CIVIL NATIONAL SECURITY
	MOBILE except aeronautical mobile	
	Footnotes 73, 155	
	METEOROLOGICAL AIDS	
	METEOROLOGICAL-SATELLITE (space-to- Earth)	CIVIL
1690-1700	Fixed	NATIONAL SECURITY
	Mobile except aeronautical mobile	
	Footnotes 73, 155, 183	
	FIXED	
1700-1710	METEOROLOGICAL-SATELLITE (space-to- Earth)	CIVIL
	Mobile except aeronautical mobile	NATIONAL SECURITY
	Footnotes 73, 155, 183	
	FIXED	
1710-1785	MOBILE	CIVIL
	Footnotes 16, 73, 87, 292	
	FIXED	
1785-1800	MOBILE	
	Footnotes 16, 73, 155	INATIONAL SECURITY
	MOBILE	
1800-1805	Fixed	CIVIL
	Footnotes 16, 73	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	FIXED	
1805-1880	MOBILE	CIVIL
	Footnotes 16, 73, 87	
	MOBILE	
1880-1885	Fixed	CIVIL
	Footnotes 16, 73, 86	
	MOBILE	
1885-1900	Fixed	CIVIL
	Footnotes 73, 86, 293, 294	
	MOBILE	
1900-1930	Fixed	CIVIL
	Footnotes 73, 293, 294	
	MOBILE	
1930-1970	Fixed	CIVIL
	Footnotes 73, 293, 294	
	MOBILE	
1970-1980	Fixed	CIVIL
	Footnotes 73, 293, 294	
	MOBILE	
1980-2010	MOBILE-SATELLITE (Earth-to-space)	CIVIL
	Footnotes 73, 157, 293, 295	
	MOBILE	
2010-2025	Fixed	CIVIL
	Footnotes 73, 293, 294	
	FIXED	
	MOBILE	
	SPACE RESEARCH (Earth-to-space) (space-to- space)	CIVIL NATIONAL SECURITY
2025-2110	SPACE OPERATION (Earth-to-space) (space-to- space)	
	EARTH EXPLORATION-SATELLITE (Earth-to- space) (space-to- space)	
	Footnotes 73, 155, 296, 297	
	MOBILE	
2110-2120	SPACE RESEARCH (deep Space) (Earth-to- space)	CIVIL
	Fixed	
	Footnotes 73, 293, 294	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	MOBILE	
2120-2170	Fixed	CIVIL
	Footnotes 73, 293, 294	
	MOBILE	
2170-2200	MOBILE-SATELLITE (space-to-Earth)	CIVIL
	Footnotes 73, 157, 293, 294	
	SPACE OPERATION (space-to-Earth) (space-to- space)	
	EARTH EXPLORATION-SATELLITE (space-to- Earth) (space-to-space)	
2200-2290	FIXED	CIVIL
	MOBILE	NATIONAL SECURITY
	SPACE RESEARCH (space-to-Earth) (space-to- space)	
	Footnotes 73, 155, 296, 297	
	FIXED	
	MOBILE except aeronautical mobile	
2290-2300	SPACE RESEARCH (space-to-Earth) (deep Space)	CIVIL
	Footnote 73	
	FIXED	
	MOBILE	
2300-2400	Amateur	CIVIL
	Radiolocation	
	Footnotes 16, 73	
	FIXED	
	MOBILE	
2400-2450	Amateur	CIVII
2400-2400	Amateur-Satellite	
	Radiolocation	
	Footnotes 67, 73	
	FIXED	
2450-2483.5	MOBILE	CIVIL
	Footnotes 67, 73	
	FIXED	
2483 5-2500	MOBILE	
2483.5-2500	MOBILE-SATELLITE (space-to-Earth)	
	Footnotes 67, 73, 157, 287	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	MOBILE except aeronautical mobile	
2500-2520	FIXED	CIVIL
	Footnotes 16, 73	
	FIXED	
2520-2655	MOBILE except aeronautical mobile	CIVIL
	Footnotes 16, 73, 82	
	FIXED	
	MOBILE except aeronautical mobile	
2655-2670	Earth Exploration-Satellite (passive)	CIVIL
	Radio Astronomy	
	Space Research (passive)	
	Footnotes 16, 73, 87, 254	
	MOBILE except aeronautical mobile	
2670-2690	FIXED	CIVIL
	Radio Astronomy	
	Footnotes 16, 73, 87, 254	
	EARTH EXPLORATION-SATELLITE (passive)	
2690-2700	RADIO ASTRONOMY	CIVII
2000 2100	SPACE RESEARCH (passive)	
	Footnotes 73, 88	
	AERONAUTICAL RADIONAVIGATION	CIVII
2700-2900	Radiolocation	NATIONAL SECURITY
	Footnotes 53, 73, 140	
	RADIONAVIGATION	CIVII
2900-3100	RADIOLOCATION	NATIONAL SECURITY
	Footnotes 73, 141, 142, 143, 192	
	RADIOLOCATION	
3100-3300	Earth Exploration-Satellite (active)	CIVIL
0100 0000	Space Research (active)	NATIONAL SECURITY
	Footnotes 73, 87	
3300-3400	RADIOLOCATION	CIVIL
3300-3400	Footnotes 73, 87	NATIONAL SECURITY

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
3400-3600	MOBILE except aeronautical mobile	CIVII
	Amateur	
	Radiolocation	
	Footnotes 7, 48, 73	
	FIXED	
3600-4200	FIXED-SATELLITE (space-to-Earth)	CIVII
0000 4200	MOBILE	
	Footnote 73	
	AERONAUTICAL RADIONAVIGATION	CIVIL
4200-4400	AERONAUTICAL MOBILE (R)	NATIONAL SECURITY
	Footnotes 73, 144, 145, 309	
	FIXED	
4400-4500	MOBILE	NATIONAL SECURITY
	Footnotes 73	
	FIXED	
4500-4800	FIXED-SATELLITE (space-to-Earth)	NATIONAL SECURITY
4000 4000	MOBILE	
	Footnotes 73, 193	
	FIXED	
4800-4990	MOBILE	NATIONAL SECURITY
4000 4000	Radio Astronomy	
	Footnotes 73, 82, 87, 194	
	FIXED	
4990-5000	MOBILE except aeronautical mobile	NATIONAL SECURITY
4000 0000	RADIO ASTRONOMY	
	Footnotes 73, 87	
	AERONAUTICAL MOBILE-SATELLITE (R)	
	AERONAUTICAL RADIONAVIGATION	
	RADIONAVIGATION-SATELLITE (Earth-to-	o
5000-5010	Badia Astronomy	
	Space Research (nassive)	
	Epotrotos 73, 268	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	AERONAUTICAL MOBILE-SATELLITE (R)	
	AERONAUTICAL RADIONAVIGATION	
5010-5030	RADIONAVIGATION-SATELLITE (space-to- Earth) (space-to-space)	CIVIL
	Radio Astronomy	
	Space Research (passive)	
	Footnotes 73, 166, 170, 268	
	AERONAUTICAL MOBILE (R)	
5030-5001	AERONAUTICAL MOBILE-SATELLITE (R)	CIVII
5050-5091	AERONAUTICAL RADIONAVIGATION	CIVIL
	Footnotes 73, 147, 270, 269	
	FIXED-SATELLITE (Earth-to-space)	
	AERONAUTICAL MOBILE	
5091-5150	AERONAUTICAL MOBILE-SATELLITE (R)	CIVIL
	AERONAUTICAL RADIONAVIGATION	
	Footnotes 73, 147, 195, 268, 288	
	AERONAUTICAL RADIONAVIGATION	
5150 5250	FIXED-SATELLITE (Earth-to-space)	CIVII
5150-5250	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 185, 196, 197, 198, 199, 201, 271	
	EARTH EXPLORATION-SATELLITE (active)	
	MOBILE except aeronautical mobile	CIVII
5250-5255	RADIOLOCATION	
	SPACE RESEARCH	NATIONAL SECONT
	Footnotes 73, 98, 148, 185, 202	
	EARTH EXPLORATION-SATELLITE (active)	
	RADIOLOCATION	CIVII
5255-5350	SPACE RESEARCH (active)	
	MOBILE except aeronautical mobile	NATIONAL SECONT
	Footnotes 73, 98, 185, 202	
	EARTH EXPLORATION-SATELLITE (active)	
	SPACE RESEARCH (active)	CIVII
5350-5460	AERONAUTICAL RADIONAVIGATION	
	RADIOLOCATION	NATIONAL SECURIT
	Footnotes 73, 149, 203, 204, 205	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	RADIONAVIGATION	
	EARTH EXPLORATION-SATELLITE (active)	
5460-5470	SPACE RESEARCH (active)	
	RADIOLOCATION	NATIONAL SECONT
	Footnotes 73, 149, 203, 205	
	MARITIME RADIONAVIGATION	
	MOBILE except aeronautical mobile	
E 470 EE70	RADIOLOCATION	CIVIL
5470-5570	EARTH EXPLORATION-SATELLITE (active)	NATIONAL SECURITY
	SPACE RESEARCH (active)	
	Footnotes 73, 185, 205, 206, 207	
	MARITIME RADIONAVIGATION	
	RADIOLOCATION	CIVIL
5570-5650	MOBILE except aeronautical mobile	NATIONAL SECURITY
	Footnotes 73, 150, 185, 206, 207	
	RADIOLOCATION	
	MOBILE except aeronautical mobile	
5650-5725	Amateur	CIVIL
	Amateur-Satellite (Earth-to-space)	
	Footnotes 73, 185, 206, 208	
	FIXED-SATELLITE (Earth-to-space)	
	RADIOLOCATION	
5725 5920	Fixed	CIVIL
5725-5650	Amateur	NATIONAL SECURITY
	Mobile	
	Footnotes 67, 73	
	FIXED-SATELLITE (Earth-to-space)	
	RADIOLOCATION	
	Fixed	CIV/II
5830-5850	Amateur	
	Amateur-Satellite	NATIONAL SECORT
	Mobile	
	Footnotes 67, 73	
	FIXED	
5850-5025	FIXED-SATELLITE (Earth-to-space)	CIVII
5850-5925	MOBILE	GIVIL
	Footnotes 57, 67, 73	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	FIXED	
	FIXED-SATELLITE (Earth-to-space)	
5925-6700	MOBILE	CIVIL
	Earth Exploration-Satellite (passive)	
	Footnotes 48, 73, 87, 145, 209, 210	
	FIXED	
6700-7075	FIXED-SATELLITE (Earth-to-space) (space-to- Earth)	CIVIL
	Earth Exploration-Satellite (passive)	
	Footnotes 48, 73, 193, 210, 310, 311	
	FIXED	
7075-7145	Earth Exploration-Satellite (passive)	CIVIL
	Footnotes 48, 73, 210	
	FIXED	
	MOBILE	
7145-7190	SPACE RESEARCH (deep Space) (Earth-to- space)	CIVIL
	Space Operation (Earth-to-space)	
	Footnotes 73, 163, 210	
	EARTH EXPLORATION-SATELLITE (Earth-to- space)	
7400 7005	FIXED	01///
7190-7235	MOBILE	CIVIL
	SPACE RESEARCH (Earth-to-space)	
	Footnotes 73, 163, 211, 312, 313	
	EARTH EXPLORATION-SATELLITE (Earth-to- space)	
7235-7250	FIXED	CIVIL
	Space Research (Earth-to-space)	
	Footnotes 73, 163, 210, 312	
	FIXED	
7250-7300	FIXED-SATELLITE (space-to-Earth)	CIVIL
	MOBILE	NATIONAL SECURITY
	Footnotes 73, 151	
	FIXED	
7300-7375	FIXED-SATELLITE (space-to-Earth)	CIVIL
7300-7375	MOBILE except aeronautical mobile	NATIONAL SECURITY
	Footnotes 73, 151	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
7375-7450	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) Footnotes 73, 314, 315	CIVIL NATIONAL SECURITY
7450-7550	FIXED FIXED-SATELLITE (space-to-Earth) METEOROLOGICAL-SATELLITE (space-to- Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) Footnotes 73, 314, 315, 316	CIVIL NATIONAL SECURITY
7550-7750	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) Footnotes 73, 314, 315	CIVIL NATIONAL SECURITY
7750-7900	FIXED MOBILE except aeronautical mobile METEOROLOGICAL-SATELLITE (space-to- Earth) Footnotes 73, 289	CIVIL NATIONAL SECURITY
7900-8025	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Footnotes 73 ,151	CIVIL NATIONAL SECURITY
8025-8175	EARTH EXPLORATION-SATELLITE (space-to- Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Footnotes 73, 290, 291	CIVIL NATIONAL SECURITY
FREQUENCY BAND MHz	RADIO SERVICES	USERS
--------------------------	--	-------------------
	EARTH EXPLORATION-SATELLITE (space-to-	
	FIXED	
	FIXED-SATELLITE (Earth-to-space)	CIVIL
8175-8215	METEOROLOGICAL-SATELLITE (Earth-to- space)	NATIONAL SECURITY
	MOBILE	
	Footnotes 73, 290, 291	
	EARTH EXPLORATION-SATELLITE (space-to- Earth)	
8215-8400	FIXED	
	FIXED-SATELLITE (Earth-to-space)	NATIONAL SECURITY
	Footnotes 73, 290, 291	
	FIXED	
8400-8500	SPACE RESEARCH (Earth-to-space)	CIVII
	Radiolocation	
	Footnotes 48, 73	
8500-8550	RADIOLOCATION	CIVIL
	Footnote 73	NATIONAL SECURITY
	EARTH EXPLORATION-SATELLITE (active)	
8550-8650	RADIOLOCATION	CIVIL
	SPACE RESEARCH (active)	NATIONAL SECURITY
	Footnotes 73, 318	
8650-8750	RADIOLOCATION	CIVIL
	Footnote 73	NATIONAL SECURITY
	RADIOLOCATION	
8750-8850	AERONAUTICAL RADIONAVIGATION	CIVIL
	Space Research	NATIONAL SECURITY
	Footnotes 73, 152	
	RADIOLOCATION	
8850-9000	MARITIME RADIONAVIGATION	CIVIL
	Space Research	NATIONAL SECURITY
	Footnotes 73, 153	
	AERONAUTICAL RADIONAVIGATION	
9000-9200	RADIOLOCATION	CIVIL
	Space Research	NATIONAL SECURITY
	Footnotes 53, 73, 186	

FREQUENCY BAND MHz	RADIO SERVICES	USERS
	EARTH EXPLORATION-SATELLITE (active)	
	RADIOLOCATION	CIVII
9200-9300	MARITIME RADIONAVIGATION	
	Space Research	NATIONAL SECORT
	Footnotes 18, 73, 153, 319, 320, 321	
	RADIONAVIGATION	
	RADIOLOCATION	
9300-9500	EARTH EXPLORATION-SATELLITE (active)	
	SPACE RESEARCH (active)	NATIONAL SECORT I
	Footnotes 4, 18, 73, 143, 322, 323	
	EARTH EXPLORATION-SATELLITE (active)	
0500 0800	RADIOLOCATION	CIVIL
9500-9800	SPACE RESEARCH (active)	NATIONAL SECURITY
	Footnotes 73, 323	
	RADIOLOCATION	
0800 0000	Space research (active)	CIVIL
9600-9900	Earth exploration-satellite (active)	NATIONAL SECURITY
	Footnotes 73, 324, 325	
	EARTH EXPLORATION-SATELLITE (active)	
	RADIOLOCATION	CIVIL
3900-10000	Fixed	NATIONAL SECURITY
	Footnotes 73, 128, 319, 320, 321	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	EARTH EXPLORATION-SATELLITE (active)	
	FIXED	
10-10.4	MOBILE	CIVII
10 10.4	RADIOLOCATION	OTTL
	Amateur	
	Footnotes 73, 128, 319, 320, 321	
	FIXED	
	RADIOLOCATION	
10.4-10.45	Amateur	CIVIL
	Mobile	
	Footnote 73	
	FIXED	
	MOBILE	
40 45 40 5	RADIOLOCATION	CIVIL
10.45-10.5	Amateur	NATIONAL SECURITY
	Amateur-Satellite	
	Footnote 73	
	FIXED	
10 5 10 55	MOBILE	<u> </u>
10.5-10.55	Radiolocation	CIVIL
	Footnotes 48, 73	
	FIXED	
40.55.40.0	MOBILE except aeronautical mobile	01/4
10.55-10.6	Radiolocation	CIVIL
	Footnotes 48, 73	
	FIXED	
	RADIO ASTRONOMY	
	EARTH EXPLORATION-SATELLITE (passive)	
10.6-10.68	SPACE RESEARCH (passive)	CIVIL
	Mobile except aeronautical mobile	
	Radiolocation	
	Footnotes 48, 73, 87, 90, 187	
	EARTH EXPLORATION-SATELLITE (passive)	
	RADIO ASTRONOMY	011/11
10.68-10.7	SPACE RESEARCH (passive)	CIVIL
	Footnotes 73, 88	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	FIXED-SATELLITE (space-to-Earth) (Earth-to- space)	
10.7-10.95	MOBILE except aeronautical mobile	CIVIL
	Mobile-satellite (space-to-Earth)	
	Footnotes 73, 91, 193	
	FIXED	
10.95-11.2	FIXED-SATELLITE (space-to-Earth) (Earth-to- space)	CIVIL
	MOBILE except aeronautical mobile	
	Footnotes 73, 91, 330	
	FIXED	
11.2-11.45	FIXED-SATELLITE (space-to-Earth) (Earth-to- space)	CIVIL
	MOBILE except aeronautical mobile	
	Footnotes 73, 91, 193	
	FIXED	
11.45-11.7	FIXED-SATELLITE (space-to-Earth) (Earth-to- space)	CIVIL
	MOBILE except aeronautical mobile	
	Footnotes 73, 91, 330	
	BROADCASTING-SATELLITE	
11.7-12.5	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 92, 93, 94	
12.5-12.75	FIXED-SATELLITE (space-to-Earth) (Earth-to- space)	CIVIL
	Footnotes 129, 330	
	FIXED	
12.75-13.25	FIXED-SATELLITE (Earth-to-space)	CIVIL
	Footnotes 48, 193	
	AERONAUTICAL RADIONAVIGATION	
13 25-13 4	EARTH EXPLORATION-SATELLITE (active)	CIVII
13.23-13.4	SPACE RESEARCH (active)	OIVIE
	Footnotes 95, 96	
	EARTH EXPLORATION-SATELLITE (active)	
	FIXED-SATELLITE (space-to-Earth)	
13.4-13.65	RADIOLOCATION	
	SPACE RESEARCH	
	Footnotes 73, 212, 331, 332, 333, 334, 335	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	EARTH EXPLORATION-SATELLITE (active)	
13 65-13 75	RADIOLOCATION	CIVIL
	SPACE RESEARCH	NATIONAL SECURITY
	Footnotes 73, 97, 212	
	RADIOLOCATION	
13 75-14	FIXED-SATELLITE (Earth-to-space)	CIVIL
10.70 14	Space Research	NATIONAL SECURITY
	Footnotes 73, 99, 129, 336	
	FIXED-SATELLITE (Earth-to-space)	
14 14 25	Mobile-Satellite (Earth-to-space)	CIV/II
14-14.25	Space Research	CIVIL
	Footnotes 100, 129, 209, 213, 214, 215, 330, 337	
	FIXED-SATELLITE (Earth-to-space)	
14 05 14 0	Mobile-Satellite (Earth-to-space)	
14.25-14.3	Space Research	
	Footnotes 100, 129, 209, 213, 214, 215, 330, 337	
	FIXED-SATELLITE (Earth-to-space)	
14.3-14.4	Mobile-Satellite (Earth-to-space)	CIVIL
	Footnotes 129, 209, 213, 214, 215, 330, 337	
	FIXED-SATELLITE (Earth-to-space)	
14.4-14.47	Mobile-Satellite (Earth-to-space)	CIVIL
	Footnotes 129, 209, 213, 214, 215, 330, 337	
	FIXED-SATELLITE (Earth-to-space)	
14 47-14 5	Mobile-Satellite (Earth-to-space)	CIVII
14.47 14.0	Radio Astronomy	
	Footnotes 87,129, 209, 213, 214, 215, 337	
	FIXED-SATELLITE (Earth-to-space)	
	FIXED	CIVII
14.5-14.75	MOBILE	NATIONAL SECURITY
	Radio Astronomy	
	Footnotes 62, 338, 339, 340, 341, 342, 343	
	FIXED	
14 75-14 8	MOBILE	CIVIL
14.75-14.8	Radio Astronomy	NATIONAL SECURITY
	Footnote 62	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
14.8-15.35	MOBILE	CIVIL
	Radio Astronomy	NATIONAL SECURITY
	Footnotes 62, 82	
	EARTH EXPLORATION-SATELLITE (passive)	
15 35-15 4	RADIO ASTRONOMY	CIVII
10.00 10.4	SPACE RESEARCH (passive)	OTTL
	Footnote 88	
	RADIOLOCATION	
15.4-15.43	AERONAUTICAL RADIONAVIGATION	CIVIL
	Footnotes 272, 273	
	FIXED-SATELLITE (Earth-to-space)	
15 42 15 62	RADIOLOCATION	CIVII
15.45-15.65	AERONAUTICAL RADIONAVIGATION	
	Footnotes 130, 272, 273, 344	
	RADIOLOCATION	
15.63-15.7	AERONAUTICAL RADIONAVIGATION	CIVIL
	Footnotes 272, 273	
15 7-16 6		CIVIL NATIONAL SECURITY
13.7-10.0		
16.6-17.1	RADIOLOCATION	CIVIL
10.0 17.1	Space Research (deep Space) (Earth-to-space)	NATIONAL SECURITY
	RADIOLOCATION	CIVII
17.1-17.2	Mobile	NATIONAL SECURITY
	Footnote 73	
	RADIOLOCATION	
	EARTH EXPLORATION-SATELLITE (active)	CIVII
17.2-17.3	SPACE RESEARCH (active)	NATIONAL SECURITY
	MOBILE	
	Footnotes 73, 101	
17.3-17.7	FIXED-SATELLITE (Earth-to-space) (space-to- Earth)	CIVIL
	Radiolocation	NATIONAL SECURITY
	Footnotes 102, 216, 217	
	FIXED	
17.7-18.1	FIXED-SATELLITE (Earth-to-space) (space-to- Earth)	CIVIL
	Footnotes 48, 102, 129, 374	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	FIXED-SATELLITE (Earth-to-space) (space-to- Earth)	
10.1-10.4	METEOROLOGICAL-SATELLITE (space-to- Earth)	
	Footnotes 48, 103, 104, 129, 374	
	FIXED	
18.4-18.6	FIXED-SATELLITE (space-to-Earth)	CIVIL
	Footnotes 48, 129, 374	
	EARTH EXPLORATION-SATELLITE (passive)	
40.0.40.0	FIXED	CIV/II
18.6-18.8	FIXED-SATELLITE (space-to-Earth)	CIVIL
	Footnotes 48, 131, 218, 374	
	FIXED	
18.8-19.3	FIXED-SATELLITE (space-to-Earth)	CIVIL
	Footnotes 48, 374	
	FIXED	
19.3-19.7	FIXED-SATELLITE (space-to-Earth) (Earth-to- space)	CIVIL
	Footnotes 106, 374	
	FIXED-SATELLITE (space-to-Earth)	
19.7-20.1	Mobile-Satellite (space-to-Earth)	CIVIL
	Footnotes 129, 216, 330, 345	
	FIXED-SATELLITE (space-to-Earth)	
20.1-20.2	MOBILE-SATELLITE (space-to-Earth)	CIVIL
	Footnotes 107, 129, 132, 216, 219, 345, 346	
20.2.21.2	FIXED-SATELLITE (space-to-Earth)	CIVIL
20.2-21.2	MOBILE-SATELLITE (space-to-Earth)	NATIONAL SECURITY
	EARTH EXPLORATION-SATELLITE (passive)	
21.2-21.4	FIXED	CIVII
	MOBILE	
	SPACE RESEARCH (passive)	
21 4-22	BROADCASTING-SATELLITE	
21.4-22	Footnotes 73, 254, 274, 275	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	MOBILE except aeronautical mobile	
22-22.21	RADIO ASTRONOMY	CIVIL
	SPACE RESEARCH (passive)	
	Footnotes 73, 87	
	FIXED	
	MOBILE except aeronautical mobile	
	RADIO ASTRONOMY	
22.21-22.5	SPACE RESEARCH (passive)	CIVIL
	Earth Exploration-Satellite (passive)	
	MOBILE	
	Footnotes 73, 87, 108	
	FIXED	
	MOBILE	
22.5-22.55	RADIO ASTRONOMY	CIVIL
	SPACE RESEARCH (passive)	
	Footnotes 73, 83	
	FIXED	
	MOBILE	
22 55 22 15	RADIO ASTRONOMY	
22.00-20.10	SPACE RESEARCH (passive)	
	INTER-SATELLITE	
	Footnotes 73, 83, 87, 189, 278	
	FIXED	
22 15 22 55	MOBILE	CIVII
23.13-23.33	INTER-SATELLITE	CIVIL
	Footnotes 73, 83, 189	
	FIXED	
23 55-23 6	INTER-SATELLITE	CIVII
23.55-23.6	MOBILE	CIVIL
	Footnotes 73, 83	
	EARTH EXPLORATION-SATELLITE (passive)	
23 6-24	RADIO ASTRONOMY	CIVII
23.0-24	SPACE RESEARCH (passive)	
	Footnotes 73, 88	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	AMATEUR	
24-24.05	AMATEUR-SATELLITE	CIVIL
	Footnotes 67, 73	
	RADIOLOCATION	
	Amateur	
24.05.24.25	Earth Exploration-Satellite (active)	CIVIL
24.05-24.25	Fixed	NATIONAL SECURITY
	Mobile	
	Footnotes 67, 73	
	FIXED	
24.25-24.45	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 189, 375	
	FIXED	
24.45-24.5	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 189, 375	
	FIXED	
24.5-24.65	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 189, 375	
	FIXED	
04.05.04.75	FIXED-SATELLITE (Earth-to-space)	<u> </u>
24.00-24.75	MOBILE except aeronautical mobile	CIVIL
	Footnotes 73, 189, 279, 375	
	FIXED	
	MOBILE except aeronautical mobile	
24.75-25.25	FIXED-SATELLITE (Earth-to-space)	CIVIL
	INTER-SATELLITE	
	Footnotes 73, 189, 279, 375	
	FIXED	
25 25 25 5	MOBILE except aeronautical mobile	
25.25-25.5	INTER-SATELLITE	CIVIL
	Footnotes 48, 73, 109, 189, 375	
	FIXED	
	INTER-SATELLITE	
	MOBILE except aeronautical mobile	
25.5-26.5	SPACE RESEARCH (space-to-Earth)	CIVIL
	EARTH EXPLORATION-SATELLITE (space-to- Earth)	
	Footnotes 48, 73, 109, 110, 189, 375	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	INTER-SATELLITE	
26 5-27	MOBILE	CIVIL
20.3-21	SPACE RESEARCH (space-to-Earth)	NATIONAL SECURITY
	Earth Exploration-Satellite (space-to-Earth)	
	Footnotes 73, 109, 110, 189, 375	
	FIXED	
	MOBILE	
27-27.5	INTER-SATELLITE	
	Earth Exploration-Satellite (space-to-Earth)	NATIONAL SECURITY
	Footnotes 109, 189, 375	
	FIXED	
27.5-28.5	FIXED-SATELLITE (Earth-to-space)	CIVIL
	Footnotes 112, 113, 114, 129, 216, 374	
	FIXED	
	FIXED-SATELLITE (Earth-to-space)	<b>e</b> 1 <i>m</i>
28.5-29.1	Earth Exploration-Satellite (Earth-to-space)	CIVIL
	Footnotes 113, 114, 129, 216, 220, 374	
	FIXED	
00 4 00 5	FIXED-SATELLITE (Earth-to-space)	on ///
29.1-29.5	Earth Exploration-Satellite (Earth-to-space)	CIVIL
	Footnotes 113, 114, 216, 220, 221, 222, 374	
	FIXED-SATELLITE (Earth-to-space)	
	Earth Exploration-Satellite (Earth-to-space)	01/11
29.5-29.9	Mobile-Satellite (Earth-to-space)	CIVIL
	Footnotes 113, 114, 129, 216, 220, 330, 345	
	FIXED-SATELLITE (Earth-to-space)	
	MOBILE-SATELLITE (Earth-to-space)	
29.9-30	Earth Exploration-Satellite (Earth-to-space)	CIVIL
	Footnotes 107, 112, 113, 114, 115, 129, 132, 216, 219, 220, 330, 345	
	FIXED-SATELLITE (Earth-to-space)	CIVII
30-31	MOBILE-SATELLITE (Earth-to-space)	
	Footnote 189	NATIONAL SECURITI
	FIXED	
31-31.3	MOBILE	CIVIL
	Footnotes 87, 189, 376	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
24.2.24.5	EARTH EXPLORATION-SATELLITE (passive)	
	RADIO ASTRONOMY	CIVII
51.5-51.5	SPACE RESEARCH (passive)	
	Footnote 88	
	EARTH EXPLORATION-SATELLITE (passive)	
	RADIO ASTRONOMY	
31 5-31 8	SPACE RESEARCH (passive)	CIVII
51.5-51.6	Fixed	GIVIL
	Mobile except aeronautical mobile	
	Footnote 87	
	FIXED	
	RADIONAVIGATION	
31.8-32	SPACE RESEARCH (deep space) (space-to- Earth)	CIVIL
	Footnotes 116, 224, 225	
	FIXED	
	RADIONAVIGATION	
32-32.3	SPACE RESEARCH (deep space) (space-to- Earth)	CIVIL
	Footnotes 116, 224, 225	
	FIXED	
32 3-33	INTER-SATELLITE	CIVII
52.5-55	RADIONAVIGATION	
	Footnotes 116, 224, 225	
	FIXED	
33-33 /	INTER-SATELLITE	CIVII
55-55.4	RADIONAVIGATION	
	Footnotes 224, 225	
33.4-34.2	RADIOLOCATION	CIVIL NATIONAL SECURITY
	RADIOLOCATION	CIVII
34.2-34.7	SPACE RESEARCH (deep Space) (Earth-to- space)	NATIONAL SECURITY
24 7 25 2	RADIOLOCATION	CIVIL
34.7-33.2	Space Research	NATIONAL SECURITY
25 2 25 5	METEOROLOGICAL AIDS	CIVIL
35.2-35.5	RADIOLOCATION	NATIONAL SECURITY

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	METEOROLOGICAL AIDS	
	EARTH EXPLORATION-SATELLITE (active)	CIVII
35.5-36	RADIOLOCATION	NATIONAL SECURITY
	SPACE RESEARCH (active)	
	Footnote 226	
	EARTH EXPLORATION-SATELLITE (passive)	
	FIXED	
26.27	MOBILE	CIVII
30-37	SPACE RESEARCH (passive)	
	Radio Astronomy	
	Footnotes 48, 87, 299	
	FIXED	
37-37.5	SPACE RESEARCH (space-to-Earth)	CIVIL
	Footnotes 48, 224	
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
37.5-38	SPACE RESEARCH (space-to-Earth)	CIVIL
	Earth Exploration-Satellite (space-to-Earth)	
	Footnotes 48, 224, 378, 379	
	FIXED	
29 20 5	FIXED-SATELLITE (space-to-Earth)	CIVII
30-39.5	Earth Exploration-Satellite (space-to-Earth)	
	Footnotes 48, 224, 378, 379, 380	
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
39 5-40	MOBILE	CIVII
	MOBILE-SATELLITE (space-to-Earth)	
	Earth Exploration-Satellite (space-to-Earth)	
	Footnotes 48, 216, 224, 378, 379, 381	
	FIXED	
40-40.5	FIXED-SATELLITE (space-to-Earth)	
	MOBILE	
	MOBILE-SATELLITE (space-to-Earth)	CIVIL
	SPACE RESEARCH (Earth-to-space)	
	Earth Exploration-Satellite (space-to-Earth)	
	Footnotes 48, 216, 378, 379, 381	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
40.5-41	FIXED BROADCASTING BROADCASTING-SATELLITE FIXED-SATELLITE (space-to-Earth) LAND MOBILE Aeronautical mobile Maritime mobile Footnotes 224, 378, 379	CIVIL
41-42.5	FIXED BROADCASTING BROADCASTING-SATELLITE FIXED-SATELLITE (space-to-Earth) LAND MOBILE Aeronautical mobile Maritime mobile Footnotes 224, 227, 228, 378, 379	CIVIL
42.5-43.5	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE except aeronautical mobile RADIO ASTRONOMY Footnotes 87, 118, 224, 378	CIVIL
43.5-45.5	MOBILE MOBILE-SATELLITE Fixed-Satellite Footnotes 120, 121	NATIONAL SECURITY
45.5-47	MOBILE MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE Footnotes 120, 121	CIVIL
47-47.2	AMATEUR AMATEUR-SATELLITE	CIVIL
47.2-47.5	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Footnotes 118, 119, 379	CIVIL

FREQUENCY BAND GHz	RADIO SERVICES	USERS
47.5-47.9	FIXED FIXED-SATELLITE (Earth-to-space) (space-to- Earth) MOBILE	CIVIL
	Footnotes 118, 216, 229, 379	
47.9-48.2	FIXED-SATELLITE (Earth-to-space) MOBILE FIXED Footnotes 118, 119, 379	CIVIL
48.2-48.54	FIXED FIXED-SATELLITE (Earth-to-space) (space-to- Earth) MOBILE Footnotes 118, 216, 229, 230, 379	CIVIL
48.54-49.44	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY Footnotes 87, 88, 118, 347, 379	CIVIL
49.44-50.2	FIXED FIXED-SATELLITE (Earth-to-space) (space-to- Earth) MOBILE Footnotes 118, 189, 216, 229, 230, 379	CIVIL
50.2-50.4	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) Footnote 88	CIVIL
50.4-51.4	FIXED FIXED-SATELLITE (Earth-to-space) Mobile-Satellite (Earth-to-space) Footnotes 189, 379	CIVIL NATIONAL SECURITY
51.4-52.4	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY Footnotes 189, 224, 231, 385	CIVIL

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
52.4-52.6	MOBILE	CIVIL
	RADIO ASTRONOMY	
	Footnotes 189, 224, 231	
	EARTH EXPLORATION-SATELLITE (passive)	
52.6-54.25	SPACE RESEARCH (passive)	CIVIL
	Footnotes 88, 231	
54 25-55 78	EARTH EXPLORATION-SATELLITE (passive)	CIVII
04.20 00.70	SPACE RESEARCH (passive)	
	EARTH EXPLORATION-SATELLITE (passive)	
	FIXED	
55.78-56.9	INTER-SATELLITE	CIVIL
	SPACE RESEARCH (passive)	
	Footnotes 123, 224, 232, 233	
	EARTH EXPLORATION-SATELLITE (passive)	
	FIXED	
56 9-57	MOBILE	CIVII
50.5 57	INTER-SATELLITE	
	SPACE RESEARCH (passive)	
	Footnotes 123, 224, 348	
	EARTH EXPLORATION-SATELLITE (passive)	
	FIXED	
57-58.2	INTER-SATELLITE	CIVII
57-50.2	MOBILE	
	SPACE RESEARCH (passive)	
	Footnotes 73, 123, 224, 232	
58.2-59	EARTH EXPLORATION-SATELLITE (passive)	
	FIXED	
	RADIO ASTRONOMY	CIVIL
	SPACE RESEARCH (passive)	
	Footnotes 73, 224, 231	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	EARTH EXPLORATION-SATELLITE (passive)	
	FIXED	
	INTER-SATELLITE	
59-59.3	MOBILE	CIVIL
	RADIOLOCATION	
	SPACE RESEARCH (passive)	
	Footnotes 48, 73, 123, 133, 232	
	FIXED	
	INTER-SATELLITE	
59.3-64	MOBILE	CIVIL
	RADIOLOCATION	
	Footnotes 48, 67, 73, 123, 133	
	FIXED	
64-65	INTER-SATELLITE	CIVII
04-03	MOBILE except aeronautical mobile	GIVIL
	Footnotes 73, 224, 231	
	EARTH EXPLORATION-SATELLITE	
	FIXED	
65-66	INTER-SATELLITE	CIVII
00-00	MOBILE except aeronautical mobile	
	SPACE RESEARCH	
	Footnotes 73, 224	
	MOBILE	
	MOBILE-SATELLITE	
66-71	RADIONAVIGATION	CIVII
00-71	RADIONAVIGATION-SATELLITE	
	INTER-SATELLITE	
	Footnotes 73, 120, 121, 123, 382	
	FIXED	
71-74	FIXED-SATELLITE (space-to-Earth)	CIVII
, 1-1-4	MOBILE	
	MOBILE-SATELLITE (space-to-Earth)	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
	MOBILE	
74-75.5	BROADCASTING	CIVIL
	BROADCASTING-SATELLITE	
	Space Research (space-to-Earth)	
	Footnotes 73, 125	
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
	BROADCASTING	
75.5-76	BROADCASTING-SATELLITE	CIVIL
	Amateur	
	Amateur-Satellite	
	Footnotes 73, 125	
	RADIO ASTRONOMY	
	RADIOLOCATION	
76-77.5	Amateur	CIVIL
	Amateur-Satellite	
	Space Research (space-to-Earth)	
	Footnotes 73, 87	
	AMATEUR	
	AMATEUR-SATELLITE	0.1. <i>1</i> 1
//.5-/8		
	Space Research (space-to-Earth)	
	Anotaria	
	Amateur	
78-79	Amateur-Satellite	
	Space Research (append to Earth)	NATIONAL SECORT
	Space Research (space-to-cartin)	
	RADIO OCATION	
79-81	Amateur	CIVIL
79-01	Amateur-Satellite	NATIONAL SECURITY
	Footnotes 73, 87	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
81-84	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Space Research (space-to-Earth) Footnotes 73, 87, 189, 235	CIVIL
84-86	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY Footnotes 73, 87, 189	CIVIL
86-92	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnote 88	CIVIL
92-94	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION Footnotes 48, 87, 189	CIVIL
94-94.1	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio Astronomy Footnotes 126, 350	CIVIL
94.1-95	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION Footnote 87	CIVIL

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	MOBILE	
	RADIO ASTRONOMY	
95-100	RADIOLOCATION	CIVIL
	RADIONAVIGATION	
	RADIONAVIGATION-SATELLITE	
	Footnotes 87, 121	
	EARTH EXPLORATION-SATELLITE (passive)	
100 102	RADIO ASTRONOMY	CIV/II
100-102	SPACE RESEARCH (passive)	CIVIL
	Footnote 88	
	FIXED	
102-105	RADIO ASTRONOMY	
102-105	MOBILE	CIVIL
	Footnote 87	
	FIXED	
	MOBILE	
105-109.5	RADIO ASTRONOMY	CIVIL
	SPACE RESEARCH (passive)	
	Footnotes 48, 87, 351	
	EARTH EXPLORATION-SATELLITE (passive)	
109 5-111 8	RADIO ASTRONOMY	CIVII
	SPACE RESEARCH (passive)	
	Footnote 88	
	FIXED	
	MOBILE	
111.8-114.25	RADIO ASTRONOMY	CIVIL
	SPACE RESEARCH (passive)	
	Footnotes 48, 87, 351	
114.25-116	EARTH EXPLORATION-SATELLITE (passive)	
	RADIO ASTRONOMY	CIVII
	SPACE RESEARCH (passive)	OIVIE
	Footnote 88	
	EARTH EXPLORATION-SATELLITE (passive)	
116-119.98	INTER-SATELLITE	CIVIL
	Footnote 352	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	EARTH EXPLORATION-SATELLITE (passive)	
119.98-120.02	INTER-SATELLITE	CIVIL
	Footnote 352	
	EARTH EXPLORATION-SATELLITE (passive)	
120 02-122 25	INTER-SATELLITE	CIVII
120.02-122.20	SPACE RESEARCH (passive)	
	Footnotes 67, 73, 343	
	FIXED	
	INTER-SATELLITE	
100 05 100	MOBILE	CIVII
122.25-125	Amateur	GIVIL
	Amateur-Satellite	
	Footnotes 48, 67, 73, 123	
	FIXED-SATELLITE (space-to-Earth)	
	MOBILE-SATELLITE (space-to-Earth)	
122 120	RADIONAVIGATION	CIV/II
123-130	RADIONAVIGATION-SATELLITE	GIVIL
	Radio Astronomy	
	Footnotes 87, 121	
	EARTH EXPLORATION-SATELLITE (active)	
	FIXED	
120 124	INTER-SATELLITE	CIV/II
130-134	MOBILE	GIVIL
	RADIO ASTRONOMY	
	Footnotes 87, 123, 350, 353	
	AMATEUR	
134-136	AMATEUR-SATELLITE	CIVIL
	Radio Astronomy	
	RADIO ASTRONOMY	
136-141	RADIOLOCATION	
	Amateur	CIVIL
	Amateur-Satellite	
	Footnote 87	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	MOBILE	
141-148.5	RADIO ASTRONOMY	CIVIL
	RADIOLOCATION	
	Footnotes 48, 87	
	EARTH EXPLORATION-SATELLITE (passive)	
1/18 5-151 5	RADIO ASTRONOMY	CIVII
140.5-151.5	SPACE RESEARCH (passive)	OIVIL
	Footnote 88	
	FIXED	
	MOBILE	
151.5-155.5	RADIO ASTRONOMY	CIVIL
	RADIOLOCATION	
	Footnotes 48, 87	
	FIXED	
	MOBILE	<u> </u>
100.0-100.0	RADIO ASTRONOMY	CIVIL
	Footnote 87	
	FIXED	
159 5 164	FIXED-SATELLITE (space-to-Earth)	
156.5-164	MOBILE	CIVIL
	MOBILE-SATELLITE (space-to-Earth)	
	EARTH EXPLORATION-SATELLITE (passive)	
164 167	RADIO ASTRONOMY	
104-107	SPACE RESEARCH (passive)	CIVIL
	Footnote 88	
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
167-174.5	INTER-SATELLITE	CIVIL
	MOBILE	
	Footnotes 48, 87, 123	
	INTER-SATELLITE	
174 5 474 0	MOBILE	
1/4.5-1/4.8	FIXED	CIVIL
	Footnotes 48, 123	

Inter-SateLITE SPACE RESEARCH (passive) Footnote 355CIVIL174.8-182EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL182-185EARTH EXPLORATION-SATELLITE (passive) Footnote 38CIVIL182-193EARTH EXPLORATION-SATELLITE (passive) Footnote 38CIVIL185-190EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8SPACE RESEARCH (passive) Footnote 38CIVIL191.8-200FIXED NOBILE Footnotes 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE MOBILE Footnotes 48, 56CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) Footnotes 48, 56CIVIL202-203EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-204EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-205FARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-207RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-208FIXED FOOTNOTES 88, 356CIVIL202-209FIXED FOOTNOTES 88, 356CIVIL202-209FIXED FIXED-SATELLITE (Earth-to-space) FOOTNOTES 88, 356CIVIL202-204FIXED FIXED-SATELLITE (Earth-to-space) FIXED FOOTNOTES 88, 356CIVIL202-204FIXED FIXED-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (Earth-to-spac	FREQUENCY BAND GHz	RADIO SERVICES	USERS
174.8-182INTER-SATELLITE SPACE RESEARCH (passive) Footnote 355CIVIL182-185EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL182-185EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL185-190EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8SPACE RESEARCH (passive) 		EARTH EXPLORATION-SATELLITE (passive)	
N.N. KullSPACE RESEARCH (passive) Footnote 355STITE182-185EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL182-185EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL185-190EARTH EXPLORATION-SATELLITE (passive) 	174 8-182	INTER-SATELLITE	CIVII
Footnote 355Cirvil182-185EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnote 88CIVIL185-190EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL185-190EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL191.91.91SPACE RESEARCH (passive) Footnote 88CIVIL191.92INTER-SATELLITE MOBILE RADIONAVIGATION RADIONAVIGATION-SATELLITE Footnote 88, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnote 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL209-217MOBILE FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL	11 110 102	SPACE RESEARCH (passive)	
EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnote 88CIVIL182-185RADIO ASTRONOMY SPACE RESEARCH (passive) Footnote 88CIVIL185-190INTER-SATELLITE SPACE RESEARCH (passive) Footnote 355CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL191.8-200INTER-SATELLITE MOBILE RADIONAVIGATION-SATELLITE (passive) RADIONAVIGATION-SATELLITE Footnote 38, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-201FIXED FOOTNOTES 88, 356CIVIL202-202FIXED FOOTNOTES 88, 356CIVIL202-203FIXED FIXED-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) FOOTNOTES 88, 356CIVIL202-203FIXED FIXED-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) FOOTNOTES 88, 356CIVIL203-217FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY FOOTNOTES 48, 87CIVIL		Footnote 355	
182-185RADIO ASTRONOMY SPACE RESEARCH (passive) Footnote 88CIVIL185-190EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8FARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL190-191.8INTER-SATELLITE MOBILE INTER-SATELLITE MOBILECIVIL191.8-200INTER-SATELLITE MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE (passive) Footnote 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209FIXED SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL		EARTH EXPLORATION-SATELLITE (passive)	
InstantSPACE RESEARCH (passive) Footnote 88ONTEFootnote 88EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE SPACE RESEARCH (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 355CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL190-191.8FIXED NOTER-SATELLITE MOBILECIVIL191.8-200FIXED NOTER-SATELLITE MOBILE Footnote 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) RADIO NAVIGATION RADIONAVIGATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-201FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-203FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-204FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-207FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209FIXED FIXED-SATELLITE (Earth-to-space) FIXED-SATELLITE (Earth-to-space)CIVIL209-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL	182-185	RADIO ASTRONOMY	CIVII
Image: solution set in the s	102 100	SPACE RESEARCH (passive)	
EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE SPACE RESEARCH (passive) Footnote 355CIVIL185-190INTER-SATELLITE SPACE RESEARCH (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL191.8-200FIXED INTER-SATELLITE MOBILE RADIONAVIGATION RADIONAVIGATION-SATELLITE Footnotes 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL209-217FIXED FIXED SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL		Footnote 88	
185-190INTER-SATELLITE SPACE RESEARCH (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL191.8-200FIXED INTER-SATELLITE MOBILECIVIL191.8-200MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE Footnotes 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE Footnotes 88, 356CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209FIXED FIXED-SATELLITE (passive) Footnotes 88, 356CIVIL209-217MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL209-217FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL209-217MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL209-217MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) FOOTNOTES 88, 356CIVIL209-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL		EARTH EXPLORATION-SATELLITE (passive)	
160-190SPACE RESEARCH (passive) Footnote 355CIVIL190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL190-191.8FixED INTER-SATELLITE MOBILECIVIL191.8-200MOBILE-SATELLITE MOBILE-SATELLITE Footnote 88, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE Footnotes 88, 87, 121, 123CIVIL200-202RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209FIXED FIXED FIXED-SATELLITE (Earth-to-space) FIXED-SATELLITE (Earth-to-space)CIVIL209-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL	195 100	INTER-SATELLITE	CIV/II
Footnote 355Footnote 355190-191.8EARTH EXPLORATION-SATELLITE (passive) Footnote 88CIVIL190-191.8SPACE RESEARCH (passive) Footnote 88CIVIL191.8-200FIXED INTER-SATELLITE MOBILECIVIL191.8-200MOBILE-SATELLITE MOBILECIVIL191.8-200RADIONAVIGATION RADIONAVIGATION-SATELLITE Footnotes 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) Footnotes 48, 87, 121, 123CIVIL200-202RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209FIXED FIXED-SATELLITE (Earth-to-space) FIXED-SATELLITE (Earth-to-space)CIVIL209-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL	165-190	SPACE RESEARCH (passive)	GIVIL
EARTH EXPLORATION-SATELLITE (passive)CIVIL190-191.8SPACE RESEARCH (passive)CIVILFootnote 88FIXEDINTER-SATELLITEINTER-SATELLITEMOBILECIVIL191.8-200MOBILE-SATELLITECIVILRADIONAVIGATIONRADIONAVIGATION-SATELLITECIVILPather StressFIXEDCIVIL200-202EARTH EXPLORATION-SATELLITE (passive)CIVILPather StressFIXEDCIVIL200-202RADIO ASTRONOMYCIVIL200-204EARTH EXPLORATION-SATELLITE (passive)CIVILPather StressFIXEDCIVIL202-209Footnotes 88, 356CIVIL202-209FIXEDFIXEDCIVIL202-209FIXEDFIXED209-217MOBILEFIXEDCIVILPather StressFIXEDFIXEDFIXED SATELLITE (Earth-to-space)CIVILPather StressFIXEDCIVILPather StressFIXEDFIXED <td< td=""><td></td><td>Footnote 355</td><td></td></td<>		Footnote 355	
190-191.8SPACE RESEARCH (passive)CIVILFootnote 88FIXEDFIXEDINTER-SATELLITEMOBILEMOBILEMOBILE-SATELLITECIVILRADIONAVIGATIONCIVILRADIONAVIGATION-SATELLITECIVILFootnotes 48, 87, 121, 123CIVIL200-202RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209FARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209FIXED Footnotes 88, 356CIVIL209-217FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL		EARTH EXPLORATION-SATELLITE (passive)	
Footnote 88Footnote 88FIXEDINTER-SATELLITEMOBILEMOBILE191.8-200MOBILE-SATELLITERADIONAVIGATIONRADIONAVIGATION-SATELLITERADIONAVIGATION-SATELLITEFootnotes 48, 87, 121, 123200-202RADIO ASTRONOMYSPACE RESEARCH (passive)CIVILFootnotes 88, 356CIVIL202-209RADIO ASTRONOMY202-209FARTH EXPLORATION-SATELLITE (passive)RADIO ASTRONOMYCIVIL202-209FARTH EXPLORATION-SATELLITE (passive)Footnotes 88, 356CIVIL202-209FIXEDPACE RESEARCH (passive)CIVILFOOTNOTES 88, 356CIVIL209-217MOBILEMOBILEFIXED-SATELLITE (Earth-to-space)FIXEDFIXEDONOMYFOOTNOTES 48, 87CIVIL	190-191.8	SPACE RESEARCH (passive)	CIVIL
FIXED INTER-SATELLITE MOBILECIVIL191.8-200MOBILE-SATELLITE MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE Footnotes 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209FIXED Footnotes 88, 356CIVIL209-217FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL		Footnote 88	
INTER-SATELLITEMOBILE191.8-2004MOBILE-SATELLITENOBILE-SATELLITECIVILRADIONAVIGATIONCIVILRADIONAVIGATION-SATELLITECIVILFootnotes 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive)RADIO ASTRONOMYCIVILSPACE RESEARCH (passive)CIVILFootnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive)RADIO ASTRONOMYCIVILSPACE RESEARCH (passive)CIVILFootnotes 88, 356CIVIL209-217MOBILEMOBILERADIO ASTRONOMYSPACE RESEARCH (passive)CIVILFIXED-SATELLITE (Earth-to-space)CIVILMOBILERADIO ASTRONOMYSPACE RESEARCH (passive)CIVILFIXED-SATELLITE (Earth-to-space)CIVILMOBILERADIO ASTRONOMYSPADIO ASTRONOMYCIVILFIXED-SATELLITE (Earth-to-space)CIVILMOBILERADIO ASTRONOMYFOOTNOTES 48, 87CIVIL		FIXED	
MOBILE191.8-200MOBILE-SATELLITECIVILRADIONAVIGATIONRADIONAVIGATION-SATELLITEFootnotes 48, 87, 121, 123CIVIL200-202EARTH EXPLORATION-SATELLITE (passive)RADIO ASTRONOMYCIVILSPACE RESEARCH (passive)CIVILFootnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive)SPACE RESEARCH (passive)CIVILFootnotes 88, 356CIVIL202-209FARTH EXPLORATION-SATELLITE (passive)SPACE RESEARCH (passive)CIVILSPACE RESEARCH (passive)CIVILFOOTNOTES 88, 356CIVIL209-217MOBILERADIO ASTRONOMYCIVILFIXED-SATELLITE (Earth-to-space)CIVILMOBILERADIO ASTRONOMYSPACE RESEARCH (passive)CIVILFOOTNOTES 48, 87CIVIL		INTER-SATELLITE	
191.8-200MOBILE-SATELLITECIVILRADIONAVIGATIONRADIONAVIGATION-SATELLITEFootnotes 48, 87, 121, 123		MOBILE	
RADIONAVIGATION RADIONAVIGATION-SATELLITE Footnotes 48, 87, 121, 123Herein Pather Contrast 48, 87, 121, 123200-202EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) Footnotes 88, 356CIVIL202-209FADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209FIXED Footnotes 88, 356CIVIL202-209FIXED Footnotes 88, 356CIVIL202-209FIXED Footnotes 88, 356CIVIL209-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL	191.8-200	MOBILE-SATELLITE	CIVIL
RADIONAVIGATION-SATELLITE		RADIONAVIGATION	
Footnotes 48, 87, 121, 123Image: Control of the system of the		RADIONAVIGATION-SATELLITE	
200-202EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209FIXED ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209FIXED Footnotes 88, 356CIVIL		Footnotes 48, 87, 121, 123	
200-202RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL202-209EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVIL209-217FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL		EARTH EXPLORATION-SATELLITE (passive)	
200-202SPACE RESEARCH (passive)CIVILFootnotes 88, 356Footnotes 88, 356202-209EARTH EXPLORATION-SATELLITE (passive)RADIO ASTRONOMYCIVILSPACE RESEARCH (passive)CIVILFootnotes 88, 356FIXEDFIXEDFIXEDFIXED-SATELLITE (Earth-to-space)CIVILMOBILECIVILRADIO ASTRONOMYCIVILFootnotes 48, 87CIVIL	000 000	RADIO ASTRONOMY	01/11
Footnotes 88, 356Image: Section of the se	200-202	SPACE RESEARCH (passive)	GIVIL
202-209EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVILFIXEDFIXEDFIXED-SATELLITE (Earth-to-space)CIVIL209-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL		Footnotes 88, 356	
202-209RADIO ASTRONOMY SPACE RESEARCH (passive) Footnotes 88, 356CIVILFixeDFixeDFIXED-SATELLITE (Earth-to-space)FIXED-SATELLITE (Earth-to-space)209-217MOBILE RADIO ASTRONOMY Footnotes 48, 87CIVIL		EARTH EXPLORATION-SATELLITE (passive)	
202-209     SPACE RESEARCH (passive)     CIVIL       Footnotes 88, 356	000 000	RADIO ASTRONOMY	01/11
Footnotes 88, 356Image: Sector of the sector of	202-209	SPACE RESEARCH (passive)	GIVIL
FIXED FIXED CIVIL 209-217 MOBILE (Earth-to-space) CIVIL RADIO ASTRONOMY Footnotes 48, 87		Footnotes 88, 356	
FIXED-SATELLITE (Earth-to-space) 209-217 MOBILE CIVIL RADIO ASTRONOMY Footnotes 48, 87		FIXED	
209-217MOBILECIVILRADIO ASTRONOMY-Footnotes 48, 87-	209-217	FIXED-SATELLITE (Earth-to-space)	
RADIO ASTRONOMY Footnotes 48, 87		MOBILE	CIVIL
Footnotes 48, 87		RADIO ASTRONOMY	
		Footnotes 48, 87	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	FIXED	
	FIXED-SATELLITE (Earth-to-space)	
217-226	MOBILE	CIVIL
	RADIO ASTRONOMY	
	SPACE RESEARCH (passive)	
	Footnotes 48, 87, 351	
	EARTH EXPLORATION-SATELLITE (passive)	
226-231 5	RADIO ASTRONOMY	CIVII
	SPACE RESEARCH (passive)	
	Footnote 88	
	FIXED	
231 5-232	MOBILE	CIVII
20110 202	Radiolocation	
	Footnote 48	
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
232-235	MOBILE	CIVIL
	Radiolocation	
	Footnote 48	
	EARTH EXPLORATION-SATELLITE (passive)	
235-238	FIXED-SATELLITE (space-to-Earth)	CIVII
200 200	SPACE RESEARCH (passive)	
	Footnotes 356, 357	
	FIXED	
	FIXED-SATELLITE (space-to-Earth)	
	MOBILE	
238-240	RADIOLOCATION	CIVIL
	RADIONAVIGATION	
	RADIONAVIGATION-SATELLITE	
	Footnote 48	
	FIXED	
240-241	MOBILE	
240-241	RADIOLOCATION	
	Footnote 48	

FREQUENCY BAND GHz	RADIO SERVICES	USERS
	RADIO ASTRONOMY	
	RADIOLOCATION	
241-248	Amateur	CIVIL
	Amateur-Satellite	
	Footnotes 67, 73, 87	
	AMATEUR	
248-250	AMATEUR-SATELLITE	
240-250	Radio Astronomy	
	Footnote 87	
	EARTH EXPLORATION-SATELLITE (passive)	
250 252	RADIO ASTRONOMY	CIVII
250-252	SPACE RESEARCH (passive)	CIVIL
	Footnotes 88, 357	
	FIXED	
	MOBILE	
	MOBILE-SATELLITE (Earth-to-space)	
252-265	RADIO ASTRONOMY	CIVIL
	RADIONAVIGATION	
	RADIONAVIGATION-SATELLITE	
	Footnotes 48, 87, 121	
	FIXED	
265-275	FIXED-SATELLITE (Earth-to-space)	
	MOBILE	CIVIL
	RADIO ASTRONOMY	
	Footnotes 48, 87, 357	
275 2000	Not allocated	
275-3000	Footnotes 134, 383	

## FOOTNOTES

In the column titled "RADIO SERVICES" the titles of services on a primary basis have been printed in capital letters, while those on secondary basis are in small print.

## Footnote:

- Radio services on a secondary basis shall not cause harmful interference to the services operating on a primary basis, to which frequencies have already been assigned or may later be assigned.
- Radio services on a secondary basis cannot claim protection from harmful interference caused by stations operating on a primary basis, to which frequencies have already been assigned or may later be assigned.
- Radio services on a secondary basis can claim protection from harmful interference caused by other stations operating on a secondary basis, to which frequencies may later be assigned.
- Each frequency band limit is a nominal for a radio channel of the higher frequency range.
- The frequency bands designated for "civil, national security needs" shall be allocated with priority to national security needs.
- Individual frequency bands used for "national security needs" may be used for civil needs, subject to prior coordination between the authorities concerned.
- Individual frequency bands used for civil needs may be used for national security, subject to prior coordination with the Communications Regulation Commission (CRC).
- All quoted Articles, Appendices, Recommendations and Resolutions are from the Radio Regulations of the International Telecommunications Union (ITU).

1. Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90-148.5 kHz and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 148.5 kHz. Exceptionally, class J2B or J7B emissions are authorized for stations of the maritime mobile service, operating at frequency 110-148.5 kHz.

2. The stations of services to which the frequency bands 14-19.95 kHz and 20.05-70 kHz, 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals and shall be afforded protection from harmful interference.

3. The frequency bands 13570-13600 kHz and 13800-13870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country, on the condition that harmful interference is not caused to the broadcasting service. The use of frequencies in these services shall take place with the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.

4. The use of the band 9300-9500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the frequency band 9300-9320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. In the band 9300-9500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation devices.

5. In the frequency bands 70-86 kHz and 112-130 kHz, pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services.

6. In this frequency band the maritime mobile service in the Black Sea region has a priority

7. The allocation of the frequency band 3400-3600 MHz to the mobile, except aeronautical mobile, service subject to agreement obtained under No. 9.21. This frequency band is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in the band 3400-3600 MHz, it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed  $-154.5 \text{ dB}(W/(m^2 \cdot 4 \text{ kHz}))$  for more than 20% of time

at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), and with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3400-3600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004).

8. Individual frequencies are used by the national security for the respective radio services, subject to prior coordination with the Ministry of Transport, Information Technology and Communications.

9. (abrog. SG. 16/2014).

10. In this frequency band, the maritime radionavigation service in the Black Sea region has priority.

11. Use of the frequencies bands 457.5125-457.5875 MHz and 467.5125-467.5875 MHz by the maritime mobile service is limited to on-board communication stations. The characteristics of the equipment and the channelling arrangement shall be in accordance with the most recent version of Recommendation ITU-R M.1174. The use of these frequency bands in territorial waters is subject to the national regulations of the administration concerned.

12. The frequency 465±5 kHz is used as an intermediate frequency in radio receivers for civil needs.

13. The frequencies 52.025 MHz, 52.050 MHz, 52.075 MHz, 52.125 MHz, 52.150 MHz, 52.175 MHz and 52.250 MHz are used for the national security needs till the expiry of the depreciation period of the Ministry of Defence's equipment, without making new assignments.

14. In the frequency band 535-1300 kHz individual frequencies are used by the aeronautical radionavigation service on the condition that they do not cause harmful interference to broadcasting.

15. (abrog. SG. 16/2014).

16. The bands, or portions of the bands, 1710-1885 MHz, 2300-2400 MHz and 2500-2690 MHz, are identified for use without priority for International Mobile Telecommunications (IMT) in accordance with Resolution 223. This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.

17. The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52.

18. In the frequency band 9200-9500 MHz, search and rescue transponders (SART) may be used, in accordance with Art. 31, having due regard to the appropriate ITU-R Recommendation.

19. The carrier frequencies 3023 kHz and 5680 kHz may also be used, in accordance with Article 31 by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07).

20. (abrog. SG. 47/2018).

21. The frequency band 3155-3195 kHz is used for the provision of a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned in the bands between 3155 kHz and 3400 kHz to suit local needs.

The frequencies in the range 3000 kHz to 4000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the limits of the induction field.

## 22. (abrog. SG. 47/2018).

23. The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which this frequency band is allocated shall not cause harmful interference to radio direction-finding in the frequency band 406.5-413.5 kHz.

24. The use of the frequency bands 148-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service is subject to coordination under No 9.11A. The mobile-satellite service shall not constrain the development and use of the mobile and space operation services in the frequency band 148-149.9 MHz. The use of the frequency band 148-149.9 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission is not subject to No. 9.11A.

25. The use of the frequency bands 21870-21924 kHz and 23200-23350 kHz by the fixed service is limited to

provision of services related to aircraft flight safety.

26. (abrog. SG. 76/2011).

27. (abrog. SG. 47/2018).

28. (abrog. SG. 47/2018).

29. (abrog. SG. 47/2018).

30. The frequency bands 30.3-32.8 MHz, 38.25-38.44375 MHz, 38.56875-39 MHz, 73.3-74.1 MHz, 79.0-79.7 MHz, 151.025-151.200 MHz, 152.025-152.100 MHz, 152.150-152.200 MHz, 152.250-152.300 MHz, 153.450-153.850 MHz and frequencies 153.900 MHz and 158.100 MHz are used for the national security needs.

31. The frequency bands 58-60 MHz and 68-73 MHz are used on a secondary basis for the national security needs, outside populated areas and with a power up to 10 W. The frequency bands 73-73.3 MHz, 74.1-74.8 MHz, 77.8-79 MHz and 79.7-84.6 MHz may be used on a secondary basis for the national security needs, outside populated areas and with a power up to 10 W after coordination with the Communications Regulation Commission.

32. The carrier frequency 2182 kHz is an international distress and calling frequency 2182 kHz for radiotelephony The conditions for the use of the band 2173.5-2190.5 kHz are prescribed in Articles 31 and 52.

33. This frequency band is principally used for radio stations with a power up to 10 W, and individual frequencies in the frequency band 52-54 MHz are used by the Unified National Radiation Monitoring System.

34. The frequency 75 MHz is assigned to marker beacons. Assignment of frequencies close to the limits of the guard band to other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons shall be refrained. Every effort should be made to improve the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.

35. The frequency band 39.25-40.66 MHz is used for needs of national security on a secondary basis outside populated areas and with a power up to 5 W. The frequency band 40.66-42 MHz may be used for needs of national security on a secondary basis outside populated areas and with a power up to 5 W after coordination with the Communications Regulation Commission.

36. (abrog. SG. 16/2014).

37. (abrog. SG. 16/2014).

38. The use of the band 23350-24000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.

39. (abrog. SG. 47/2018).

40. The frequency band 87.5-108 MHz is allocated to the VHF-FM broadcasting service. The allocation of these frequencies is performed in accordance with Technical requirements for operation of the electronic communications networks of the terrestrial broadcasting service and the related equipment adopted by the Communications Regulation Commission

41. (abrog. SG. 47/2018).

42. Stations of the mobile-satellite service in the band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the mobile services.

43. In the band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency, and the frequency 123.1 MHz is the aeronautical auxiliary frequency for search and rescue (SAR). Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 with stations of the aeronautical mobile service.

44. The use of this frequency band by the national security is limited to the assigned frequency channels until the expiry of the depreciation period of the Ministry of Defence's equipment.

45. The frequency bands 874.4-880 MHz and 919.4-925 MHz are used for Railway Mobile Radio - RMR including railway applications GSM-R.

46. The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article 31 and Appendix 18 of the Radio Regulation.

The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles 31 and 52, and in Appendix 18 of the Radio Regulation.

The frequency bands 156-156.4875MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz shall be exclusively used by the maritime mobile service (see Articles 31 and 52, and Appendix 18). Their use by stations of other services shall be subject to prior coordination with the Ministry of Transport, Information Technology and Communications.

Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile radiocommunication service.

The frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements.

47. (abrog. SG. 16/2014).

48. In this band individual frequencies and bands may be used for national security needs subject to prior coordination with the Communications Regulation Commission.

49. Until 29 March 2009, the frequency band 7450-8100 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis.

50. The frequency 243 MHz is used by survival craft stations and equipment used for survival purposes.

51. (abrog. SG. 16/2014).

52. The frequency band 267-272 MHz may be used for space telemetry on a primary basis, subject to agreement obtained under No. 9.21.

53. The use of the frequency bands 1300-1350 MHz, 2700-2900 MHz and 9000-9200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which radiate only on frequencies in these bands and only when actuated by radars operating in the same band.

54. The conditions for the use of the carrier frequencies 8291 kHz, 12290 kHz and 16420 kHz are prescribed in Articles 31 and 52.

55. (abrog. SG. 47/2018).

56. (abrog. SG. 47/2018).

57. (abrog. SG. 47/2018).

58. (abrog. SG. 16/2014).

59. The use of the frequency band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position indicating radiobeacons (EPIRB) (see also Article 31 and Appendix 13). Any emission capable of causing harmful interference to the authorised uses of the band 406-406.1 MHz is prohibited.

60. (abrog. SG. 16/2014).

61. (abrog. SG. 76/2011).

62. The band 14.5-15.35 GHz is also used by the Air Traffic Control for civil needs.

63. The frequency band 50.05-50.20 MHz is used on a secondary basis by equipment with a power of up to 10 W for the needs of the amateur service in observance of the necessary guard bands. stations in the amateur service shall not cause harmful interference to, or claim protection from, wind profiler radars operating in the radiolocation service under No. 5.162A of the Radio Regulation.

64. The frequency bands 380-385 MHz/390-395 MHz and 698-703 MHz/753-758 MHz are used for the national mobile digital radiocommunication system for public security, protection and disaster relief (Public Protection and Disaster Relief (PPDR)) on the territory of the country. The frequency bands 698-703 MHz/753-758 MHz shall be used for PPDR in accordance with the technical conditions for wireless broadband electronic communications services set out in the Annex to Implementing Decision (EU)

2016/687<sup>1</sup>.

65. The conditions for use of the international distress frequencies for digital selective calling 2187.5 kHz, 4207.5 kHz, 6312 kHz, 8414.5 kHz, 12577 kHz and 16804.5 kHz are prescribed in Article 31.

66. The frequency band 153-162.050 MHz may be used by the cable distribution systems at a minimum distance of 40 km from the Black Sea and the Danube river coast. The frequency band 162.050-174 MHz may be used by the cable distribution systems for transmission of digital information.

67. The frequency bands 6765-6795 kHz, 433.050-434.790 MHz, 61-61.5 GHz, 122-123 GHz μ 244-246 GHz, as well as frequency bands 13553-13567 kHz, 26957-27283 kHz, 40.660-40.700 MHz, 2400-2500 MHz, 5725-5875 MHz, 24-24.25 GHz are designated for industrial, scientific and medical (ISM) applications. The use of the frequency bands from the first group shall be subject to an agreement with other administrations whose radiocommunication services might be affected, in accordance with relevant ITU-R Recommendations. The use of the frequency bands from the second group by the ISM applications is subject to the provisions of No. 15.13, and radiocommunication services, which these frequency bands are allocated to, shall accept the harmful interference, which might be caused by the ISM applications.

68. (abrog. SG. 47/2018).

69. The frequency bands 452.700-457.400 MHz and 462.700-467.400 MHz are used by wideband systems for civil needs.

70. In the frequency bands 478-494 MHz, and 606-614 MHz some frequency subbands are used for broadcasting in particular districts of the country, subject to prior coordination with the Ministry of Defence.

478-486 MHz – allotments Varna and Stara Zagora; 486-494 MHz – allotment Sofia; 606-614 MHz – allotment Smolian.

71. The equivalent isotropically radiated power (e.i.r.p.) of the station in amateur service using the frequency band 135.7-137.8 kHz shall not exceed 1 W. These station shall not cause harmful interference to stations of the radionavigation service operating in Mongolia, Kyrgyzstan and Turkmenistan.

72. The use of the frequency band 328.6-335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path) (ILS).

73. The following frequencies and frequency bands are also used for short range devices for civil needs:

below 3000 GHz	Ultra Wide Band (UWB) technologies
100 Hz-12.4 GHz	Radiodetermination applications
100-9000 Hz	Assistive Listening Devices
100Hz-30 MHz	Inductive applications
9-315 kHz	Active medical implant devices
442.2-450 kHz	Non-specific Short Range Devices
456.9-457.1 kHz	Non-specific Short Range Devices
984-7484 kHz	Transport and Traffic Telematics Devices
7.3-23.0 MHz	Transport and Traffic Telematics Devices
13.553-13.567 MHz	Non-specific Short Range Devices
26.957-27.283 MHz	Non-specific Short Range Devices
26.960-27.410 MHz	CB (Citizen Band) 27 MHz
26.990-27.000 MHz	Non-specific Short Range Devices
27.040-27.050 MHz	Non-specific Short Range Devices
27.090-27.100 MHz	Transport and Traffic Telematics Devices, Non-specific
	Short Range Devices
27.140-27.150 MHz	Non-specific Short Range Devices
27.190-27.200 MHz	Non-specific Short Range Devices
29.7-47 MHz	Radio microphones
30-37.5 MHz	Active medical implant devices
34.995-35.225 MHz	Model Control

<sup>&</sup>lt;sup>1</sup> Commission implementing decision (EU) 2016/687 of 28 April 2016 on the harmonisation of the 694-790 MHz frequency band for terrestrial systems capable of providing wireless broadband electronic communications services and for flexible national use in the Union

38.44375-38.56875 MHz	Professional Mobile Radio - PMR
40.660-40.700 MHz	Non-specific Short Range Devices, Model Control
84.69375-84.81875 MHz	Professional Mobile Radio - PMR
84.86875-84.99375 MHz	Professional Mobile Radio - PMR
97 E 109 MH-	Wireless audio and multimedia streaming transmitters
07.5-100 MHZ	with analogue frequency modulation (FM)
138.2-138.45 MHz	Non-specific Short Range Devices
150.80625-150.81875 MHz	Radio equipment for animal tracking
151.25625-151.26875 MHz	Radio equipment for animal tracking
155.4875-155.5875 MHz	Radio equipment for animal tracking
169.4000-169.8125 MHz	Non-specific Short Range Devices
169.4000-169.4750 MHz	Assistive Listening Devices
169.4875-169.5875 MHz	Assistive Listening Devices
173.965-216 MHz	Radio microphones and Assistive Listening Devices
401-406 MHz	Active medical implant devices
430-440 MHz	Medical data acquisition devices
433.050-434.790 MHz	Non-specific Short Range Devices
446.0-446.2 MHz	PMR 446
470-694 MHz,	Wireless audio programme making and special events
723-753 MHz, 778-786 MHz and 823-832 MHz	(PMSE) equipment
786-789 MHz	Radio microphones
862-863 MHz	Non-specific Short Range Devices
863-865 MHz	Non-specific Short Range Devices and Wireless audio
	and multimedia streaming devices
863-868 MHz	Wideband data transmission devices
865-868 MHz	Radio frequency identification applications
865-868.600 MHz	Non-specific Short Range Devices
868.600-868.700 MHz	Alarms
868.700-869.200 MHz	Non-specific Short Range Devices
869.200-869.400 MHz	Alarms
869.200-869.400 MHz 869.400-869.650 MHz	Alarms Non-specific Short Range Devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz	Alarms Non-specific Short Range Devices Alarms
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz	Alarms Non-specific Short Range Devices Alarms Non-specific Short Range Devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz	Alarms Non-specific Short Range Devices Alarms Non-specific Short Range Devices Tracking, Tracing and Data Acquisition, Non-specific Short Range Devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz 917.4-919.4 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events         (PMSE) equipment
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1880-1900 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events         (PMSE) equipment         DECT Radio equipment
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1880-1900 MHz 2400-2483.5 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data
869.200-869.400 MHz         869.400-869.650 MHz         869.650-869.700 MHz         869.700-870 MHz         870.0-874.4 MHz         915-919.4 MHz         916.1-918.9 MHz         917.3-918.9 MHz         917.4-919.4 MHz         1350-1400 MHz         1492-1525 MHz         1656.5-1660.5 MHz         1785-1805 MHz         1880-1900 MHz         2400-2483.5 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events         (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices
869.200-869.400 MHz         869.400-869.650 MHz         869.650-869.700 MHz         869.700-870 MHz         870.0-874.4 MHz         915-919.4 MHz         916.1-918.9 MHz         917.3-918.9 MHz         917.4-919.4 MHz         1350-1400 MHz         1492-1525 MHz         1656.5-1660.5 MHz         1785-1805 MHz         2400-2483.5 MHz         2446-2454 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events         (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 916.1-918.9 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1880-1900 MHz 2400-2483.5 MHz 2446-2454 MHz 2483.5-2500 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1880-1900 MHz 2400-2483.5 MHz 2446-2454 MHz 2483.5-2500 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1880-1900 MHz 2400-2483.5 MHz 2446-2454 MHz 2483.5-2500 MHz 5150-5350 MHz 5470-5725 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices         Wideband data transmission devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1880-1900 MHz 2400-2483.5 MHz 2446-2454 MHz 2483.5-2500 MHz 5150-5350 MHz 5470-5725 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices         Wideband data transmission devices         Wideband data transmission devices
869.200-869.400 MHz         869.400-869.650 MHz         869.650-869.700 MHz         869.700-870 MHz         870.0-874.4 MHz         915-919.4 MHz         916.1-918.9 MHz         917.3-918.9 MHz         917.4-919.4 MHz         1350-1400 MHz         1492-1525 MHz         1656.5-1660.5 MHz         1785-1805 MHz         1880-1900 MHz         2440-2483.5 MHz         2446-2454 MHz         2483.5-2500 MHz         5150-5350 MHz         5470-5725 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices         Wideband data transmission devices         Wideband data transmission devices         Non-specific Short Range Devices and Tracking, Tracing and Data Acquisition
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1785-1805 MHz 2400-2483.5 MHz 2446-2454 MHz 2446-2454 MHz 5150-5350 MHz 5150-5350 MHz 5725-5875 MHz 5795-5815 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices         Wideband data transmission devices         Wideband data transmission devices         Non-specific Short Range Devices and Tracking, Tracing and Data Acquisition         Transport & Traffic Telematics Devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1785-1805 MHz 2400-2483.5 MHz 2446-2454 MHz 2446-2454 MHz 5150-5350 MHz 5150-5350 MHz 5725-5875 MHz 5725-5875 MHz 5795-5815 MHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices         Non-specific Short Range Devices and Tracking, Tracing and Data Acquisition         Transport & Traffic Telematics Devices         Transport & Traffic Telematics Devices
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1785-1805 MHz 1880-1900 MHz 2400-2483.5 MHz 2446-2454 MHz 2446-2454 MHz 5150-5350 MHz 5150-5350 MHz 5725-5875 MHz 5725-5875 MHz 5795-5815 MHz 13.4-14.0 GHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices         Wideband data transmission devices         Wideband data transmission devices         Wideband data transmission devices         Non-specific Short Range Devices and Tracking, Tracing and Data Acquisition         Transport & Traffic Telematics Devices         Transport & Traffic Telematics Devices         Transport & Traffic Telematics Devices         Radiodetermination applications
869.200-869.400 MHz 869.400-869.650 MHz 869.650-869.700 MHz 869.700-870 MHz 870.0-874.4 MHz 915-919.4 MHz 915-919.4 MHz 917.3-918.9 MHz 917.4-919.4 MHz 1350-1400 MHz 1492-1525 MHz 1656.5-1660.5 MHz 1785-1805 MHz 1785-1805 MHz 2400-2483.5 MHz 2446-2454 MHz 2446-2454 MHz 2446-2454 MHz 5150-5350 MHz 5150-5350 MHz 5725-5875 MHz 5725-5875 MHz 5795-5815 MHz 13.4-14.0 GHz 17.1-17.3 GHz	Alarms         Non-specific Short Range Devices         Alarms         Non-specific Short Range Devices         Tracking, Tracing and Data Acquisition, Non-specific         Short Range Devices         Non-specific Short Range Devices         Radio frequency identification applications         Tracking, Tracing and Data Acquisition         Wideband data transmission devices         Radio microphones         Radio microphones         Assistive Listening Devices         Wireless audio programme making and special events (PMSE) equipment         DECT Radio equipment         Non-specific Short Range Devices and Wideband data transmission devices         Radio frequency identification applications         Active medical implant devices and Medical data acquisition devices         Wideband data transmission devices         Non-specific Short Range Devices and Tracking, Tracing and Data Acquisition         Transport & Traffic Telematics Devices         Transport & Traffic Telematics Devices         Radiodetermination applications         Radiodetermination applications

21.65-26.65 GHz	Transport & Traffic Telematics Devices
24.00-24.25 GHz	Non-specific Short Range Devices
24.05-27 GHz	Radiodetermination applications
57-64 GHz	Radiodetermination applications, Non-specific Short
	Range Devices
57-71 GHz	Wideband data transmission devices
61-61.5 GHz	Non-specific Short Range Devices
63.72-65.88 GHz	Transport & Traffic Telematics Devices
75-85 GHz	Radiodetermination applications
76-81 GHz	Transport & Traffic Telematics Devices
122-123 GHz	Non-specific Short Range Devices
244-246 GHz	Non-specific Short Range Devices

74. The frequency bands 9400-9500 kHz, 11600-11650 kHz, 12050-12100 kHz, 15600-15800 kHz, 17480-17550 kHz and 18900-19020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country, on condition that harmful interference is not caused to the broadcasting service. Usage of frequencies in the fixed service shall be with the minimum power required, taking into account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.

75. (abrog. SG. 47/2018).

76. The frequency bands 108-117.975 MHz may also be used by the aeronautical mobile (R) service on a primary basis, limited to systems that transmit navigational information in support of air navigation and surveillance functions in accordance with recognized international aviation standards. Such use shall be in accordance with Resolution 413 (WRC 03) and shall not cause harmful interference to nor claim protection from stations operating in the aeronautical radionavigation service which operate in accordance with international aeronautical standards.

77. (abrog. SG. 16/2014).

78. This band is intended for Multimedia Wireless Systems (MWS).

79. The use of the frequency band 432-438 MHz by sensors in the Earth exploration-satellite service (active) shall be in accordance with the most recent version of Recommendation ITU-R RSA.1260. Additionally, the Earth exploration-satellite service (active) in the frequency band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30.

80. The use of the frequency bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz and 400.15-401 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems.

81. (abrog. SG. 16/2014).

82. The frequency bands 1370-1400 MHz, 2640-2655 MHz, 4950-4990 MHz and 15.20-15.35 GHz are also allocated to the space research (passive) and earth exploration-satellite (passive) services on a secondary basis.

83. The frequency bands 22.540-22.568 GHz and 23.548-23.576 GHz are used for national security needs.

84. The frequency bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. 9.21, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations.

85. In the frequency bands 450-459 MHz and 460-469 MHz individual frequencies shall be used by the Ministry of Defence till the end of 2025.

86. The frequency band 1880-1900 MHz is used shared on the territory of the country by the military radioelectronic systems and the civil radio-subscriber system under DECT standard.

87. In making assignments in the following bands to stations of the radio services, other than the radio astronomy service, all practicable steps shall be taken to protect the radio astronomy service from harmful interference:

25550-25670 kHz,	4990-5000 MHz,
37.5-38.25 MHz,	6650-6675.2 MHz,
73-74.6 MHz,	10.6-10.68 GHz,
150.05-153 MHz,	14.47-14.5 GHz,
322-328.6 MHz,	22.01-22.21 GHz,
406.1-410 MHz,	22.21-22.5 GHz,
608-614 MHz,	22.81-22.86 GHz,
1330-1400 MHz,	23.07-23.12 GHz,
1610.6-1613.8 MHz,	31.2-31.3 GHz,
1660-1670 MHz,	31.5-31.8 GHz,
1718.8-1722.2 MHz,	36.43-36.5 GHz,
2655-2690 MHz,	42.5-43.5 GHz,
3260-3267 MHz,	42.77-42.87 GHz,
3332-3339 MHz,	43.07-43.17 GHz,
3345.8-3352.5 MHz,	43.37-43.47 GHz,
4825-4835 MHz,	48.94-49.04 GHz,
	76-86 GHz.

94.1-100 GHz. 102-109.5 GHz. 111.8-114.25 GHz, 128.33-128.59 GHz, 129.23-129.49 GHz, 130-134 GHz, 136-148.5 GHz, 151.5-158.5 GHz, 168.59-168.93 GHz, 171.11-171.45 GHz, 172.31-172.65 GHz, 173.52-173.85 GHz, 195.75-196.15 GHz, 209-226 GHz, 241-250 GHz. 252-275 GHz.

88. All emissions are prohibited in the following bands:

1400-1427 MHz, 2690-2700 MHz, 10.68-10.7 GHz, 15.35-15.4 GHz, 23.6-24 GHz, 31.3-31.5 GHz, 48.94-49.04 GHz from airborne stations. 50.2-50.4 GHz. 52.6-54.25 GHz. 86-92 GHz. 100-102 GHz. 109.5-111.8 GHz. 114.25-116 GHz, 148.5-151.5 GHz. 164-167 GHz 182-185 GHz, 190-191.8 GHz, 200-209 GHz, 226-231.5 GHz, 250-252 GHz.

89. In making assignments to space stations in the mobile-satellite service in the bands 137-138 MHz and 400.15-401 MHz and in the maritime mobile-satellite service (space-to-Earth) in the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz, all practicable steps shall be taken to protect the radio astronomy service in the bands 150.05-153 MHz, 322-328.6 MHz and 406.1-410 MHz from harmful interference from unwanted emissionsas shown in the most recent version of Recommendation ITU-R RA.769.

90. In the frequency band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed –3 dBW. This limit may be exceeded, subject to agreement obtained under No. 9.21.

91. The use of the band 10.7-11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service.

92. In the frequency band 11.7-12.5 GHz, the fixed and mobile, except aeronautical mobile services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with Appendix 30 of the Radio Regulation.

93. The 11.7-12.5 GHz band is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, and its use is limited to non-geostationary systems. The use of non geostationary-satellite systems is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in

accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks. Article No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the 11.7-12.5 GHz band shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated.

94. The assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 in Appendix 30 may also be used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List.

95. The use of the 13.25-13.4 GHz band by the aeronautical radionavigation service is limited to Doppler navigation aids.

96. The earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service.

97. The allocation of the band 13.65–13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis.

98. The Earth exploration-satellite (active) and space research (active) services in the frequency band 5250-5350 MHz shall not claim protection from the radiolocation service. No. 5.43A does not apply.

99. In the frequency band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the equivalent isotropically radiated power (e.i.r.p.), averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. When bringing into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna size smaller than 4.5 m, shall be ensured that the power flux-density produced by this earth station does not exceed:

 $-115 \text{ dB}(W/(m^2 \cdot 10 \text{ MHz}))$  for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal state;

-115 dB(W/(m<sup>2</sup> . 10 MHz)) for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained.

For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the equivalent isotropically radiated power (e.i.r.p.) of any emission should be at least 68 dBW and should not exceed 85 dBW.

100. The use of the band 14-14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service.

101. Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis.

102. The use of the frequency band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the bands 17.3-18.1 GHz (Earth-to-space) by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the provision information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated.

103. The use of the band 18.1-18.3 GHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary satellites.

104. The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder

links of geostationary-satellite systems in the broadcasting-satellite service.

105. The carrier frequencies 2182 kHz, 3023 kHz, 5680 kHz, 8364 kHz, 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31.

The same applies to the frequencies 10003 kHz, 14993 kHz and 19993 kHz, but in each of these cases emissions must be confined in a band of  $\pm$  3 kHz about the frequency.

106. The use of the band 19.3-19.6 GHz (Earth-to-space) by the Fixed-satellite service is limited to feeder links for non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A.

107. In the bands 20.1-20.2 GHz and 29.9-30 GHz, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.

108. The use of the band 22.21-22.5 GHz by the earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.

109. Use of the frequency band 25.25-27.5 GHz by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.

110. The earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account Recommendation ITU-R SA.1862. Resolution 242 applies.

111. On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9775-9900 kHz, 11650-11700 kHz and 11975-12050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

112. The bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space-to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of 10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit.

113. The frequency band 27.5-30 GHz is used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.

114. The frequency band 27.501-29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.

115. The frequency band 29.95-30 GHz is used for space-to-space links in the earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis.

116. In designing systems for the inter-satellite service in the frequency band 32.3-33 GHz, for the radionavigation service in the band 32-33 GHz, and for the space research service (deep space) in the band 31.8-32.3 GHz, all necessary measures shall be taken to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation 707).

117. The use of the frequency band 137-138 MHz by the mobile-satellite service is subject to coordination in accordance with the provisions of No 9.11A. (WRC-97).

118. The allocation of the spectrum for the fixed-satellite service in the bands 42.5-43.5 GHz and 47.2-50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5-39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. All practicable steps shall be taken to reserve the band 47.2-49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5-42.5 GHz.

119. The allocation to the fixed service in the bands 47.2-47.5 GHz and 47.9-48.2 GHz is identified for use by high altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated on a co-primary basis, and does not establish priority for these stations. The use of these bands by HAPS shall be in accordance with the provisions of Resolution 122.

120. In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated.

121. In the frequency bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service.

122. (abrog. SG. 47/2018).

123. In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service.

124. In the band 78-79 GHz radars located on space stations may be operated on a primary basis in the earth exploration satellite service and in the space research service.

125. In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service.

126. The use of the band 94-94.1 GHz by the earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars.

## 127. (abrog. SG. 47/2018).

128. The band 9975-10025 MHz is allocated to the meteorological-satellite service on a secondary basis for use by weather radars.

129. The use of the bands 12.5-12.75 GHz (space-to-Earth), 13.75-14.5 GHz (Earth-to-space), 17.8-18.6 GHz (space-to-Earth), 19.7-20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated.

130. Stations operating in the aeronautical radionavigation service shall limit the effective equivalent isotropically radiated power (e.i.r.p.) in accordance with Recommendation ITU-R S.1340-0. The minimum coordination distance required to protect the aeronautical radionavigation stations from harmful interference from feeder link earth stations and the maximum effective equivalent isotropically radiated power (e.i.r.p.) transmitted towards the local horizontal plane by a feeder link earth station shall be in accordance with Recommendation ITU-R S.1340-0.

131. The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. 21.5A and 21.16.2, respectively.

132. In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz.

133. In the frequency band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. 5.43).

134. The frequency band 275-1000 GHz may be used for passive services, as follows:

- radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453-510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz;

- Earth exploration-satellite service (passive) and space research service (passive): 275-286 GHz, 296-306 GHz, 313-356 GHz, 361-365 GHz, 369-392 GHz, 397-399 GHz; 409-411 GHz; 416-434 GHz, 439-467 GHz, 477-502 GHz, 523-527 GHz; 538-581 GHz, 611-630 GHz, 634-654 GHz, 657-692 GHz, 713-718 GHz; 729-733 GHz, 750-754 GHz; 771-776 GHz; 823-846 GHz; 850-854 GHz; 857-862 GHz;

866-882 GHz; 905-928 GHz; 951-956 GHz; 968-973 GHz and 985-990 GHz.

The use of the range 275-1000 GHz by the passive services does not preclude use of this range by active services. Administrations wishing to make frequencies available for active service applications are urged to take all practicable steps to protect these passive services from harmful interference until the date when the Table of Frequency Allocations is established in the above-mentioned frequency band.

All frequencies in the range 1000-3000 GHz may be used by both active and passive services. (WRC-12)

135. In the frequency bands 1530-1544 MHz and 1626.5-1645.5 MHz, Global Maritime Distress and Safety System (GMDSS) communications shall have priority access and immediate availability for operation in the network over all other mobile satellite communications.

The mobile-satellite systems shall not cause unacceptable interference to, or claim protection from the Global Maritime Distress and Safety System (GMDSS), in compliance with Resolution 222 (WRC-2000).

136. The use of the frequency band 1544-1545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications in accordance with Article 31.

137. The frequency band 400.15-401 MHz is also allocated to the space research service in the space-tospace direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.

138. The use of the frequency bands 862-880 MHz and 915-925 MHz by aeronautical radionavigation service is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime.

139. (abrog. SG. 16/2014).

140. In this band 2700-2900 MHz, ground-based radars used for meteorological purposes are authorised to operate on a basis of equality with stations of the aeronautical radionavigation service.

141. In the band 2900-3100 MHz, the use of the shipborne interrogator-transponder system shall be confined to the band 2930-2950 MHz.

142. The use of this band 2900-3100 MHz by the aeronautical radionavigation service is limited to ground-based radars.

143. In the frequency bands 2900-3100 MHz and 9300-9500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. 4.9.

144. The use of the 4200-4400 MHz band by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. However, passive sensing in the Earth exploration-satellite and space research services may be authorised in this band on a secondary basis.

145. The standard frequency and time signal-satellite service may be authorised to use the frequency 4202 MHz for space-to-Earth transmissions and the frequency 6427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of 2 MHz of these frequencies, subject to agreement obtained under No. 9.21.

146. The frequency band 1610-1626.5 MHz is also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. 9.21.

147. The frequency band 5030-5150 MHz is to be used for the operation of the international standard system MLS (microwave landing system) for precision approach and landing. The requirements of this system shall take precedence over other users of the band 5030-5091 MHz. For the use of the band 5091-5150 MHz, note 195 and Resolution 114 apply.

148. The allocation of the band 5250-5255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis.

149. The use of the frequency band 5350-5470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.

150. In the frequency band 5600-5650 MHz, ground-based radars used for meteorological purposes are authorised to operate on a basis of equality with stations of the maritime radionavigation service.

151. The frequency bands 7250-7375 MHz (space-to-Earth) and 7900-8025 MHz (Earth-to-space) are also
allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21.

152. The use of the band 8750-8850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8800 MHz.

153. In the frequency bands 8850-9000 MHz and 9200-9225 MHz, the maritime radionavigation service is limited to shore-based radars.

154. (abrog. SG. 47/2018).

155. This frequency bands 1350-1400 MHz, 1427-1452 MHz, 1492-1525 MHz, 1660-1670 MHz, 1675-1710 MHz, 1785-1800 MHz, 2025-2110 MHz and 2200-2290 MHz are also used by the tactical radio relay links for the national security.

156. The frequency bands 1525-1544 MHz, 1545-1559 MHz, 1626.5-1645.5 MHz and 1646.5-1660.5 MHz shall not be used for feeder links of any service but for exceptional circumstances.

157. The use of the frequency bands 1518-1544 MHz, 1545-1559 MHz, 1610-1645.5 MHz, 1646.5-1660.5 MHz, 1668-1675 MHz, 1980-2010 MHz, 2170-2200 MHz and 2483.5-2500 MHz, by the mobile-satellite service is in compliance with Resolutions 212 and 225.

158. The use of the frequency bands 1525-1559 MHz and 1626.5-1660.5 MHz by the mobile-satellite services is subject to coordination under No. 9.11A.

159. In applying the procedures of Section II of Article 9 of the Radio Regulations to the mobile-satellite service in the frequency bands 1545-1555 MHz and 1646.5-1656.5 MHz, priority shall be given to the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 according to Article 44. This transmission shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service transmission of messages with priority 1 to 6 in Article 44. The priority regulation in the frequency band shall be subject to the clauses of Resolution 222 (WRC-12).

160. Transmissions in the band 1545-1555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorised when such transmissions are used to extend or supplement the satellite-to-aircraft links.

Transmissions in the band 1646.5-1656.5 MHz from aircraft stations directly to terrestrial aeronautical stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorised when such transmissions are used to extend or supplement the aircraft-to-satellite links.

161. Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1215-1300 MHz and 1559-1610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on other systems or services.

162. The use of the frequency band 1645.5-1646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress and safety communications.

163. In this frequency band, individual telecommunications networks for national security needs may be established after coordination with the Communications Regulation Commission.

164. Stations in the radionavigation-satellite service in the frequency band 1164-1215 MHz shall operate in accordance with the provisions of Resolution 609 and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1215 MHz. No. 5.43A does not apply. The provisions of No. 21.18 shall apply.

165. All practicable protection should be given in the frequency band 1660.5-1668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the frequency band 1664.4-1668.4 MHz.

166. In order not to cause harmful interference to the microwave landing system (MLS) operating above 5030 MHz, the aggregate power flux-density produced at the Earth's surface in the frequency band 5030-5150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the frequency band 5010-5030 MHz shall not exceed  $-124.5 \text{ dB}(W/m^2)$  in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the frequency band 4990-5000 MHz, radionavigation-satellite service systems operating in the band 5010-5030 MHz shall comply with the limits in the band 4990-5000 MHz defined in Resolution 741.

167. The use of the frequency band 1300-1350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrains the operation and development of, the aeronautical-radionavigation service.

168. (abrog. SG. 16/2014).

169. The use of the frequency band 960-1215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities.

170. The use of the frequency bands 1164-1300 MHz, 1559-1610 MHz and 5010-5030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. 9.12, 9.12A and 9.13. Resolution 610 (WRC-03) shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and systems, Resolution 610 (WRC-03) shall only apply to transmitting space stations. In accordance with No. 5.329A, for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. 9.7, 9.12, 9.12A and 9.13 shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space).

171. The radionavigation-satellite service, operating in the frequency band 1215-1300 MHz shall not cause harmful interference to the radiolocation service. No. 5.43 shall not apply in respect of the radiolocation service. Resolution 608 shall apply.

172. In the frequency band 1215-1300 MHz, active spaceborne sensors in the earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis.

173. The use of the frequency band 400.15-401 MHz by the mobile-satellite service is subject to coordination under No.9.11A. The power flux-density limit indicated in Annex 1 of Appendix 5 shall apply until such time as a competent world radiocommunication conference revises it.

174. (abrog. SG. 47/2018).

175. The use of the frequency band 1518-1525 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. In the frequency band 1518-1525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. 5.43A does not apply.

176. (abrog. SG. 47/2018).

177. The use of the frequency band 1668-1675 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. In the band 1668-1668.4 MHz, Resolution 904 shall apply.

178. For sharing of the frequency band 1668.4-1675 MHz between the mobile-satellite service and the fixed and mobileservices, Resolution 744 shall apply.

179. In the band 1670-1675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified before 1 January 2004. Any new assignment to these earth stations in this band shall also be protected from harmful interference from stations in the mobile-satellite service.

180. In the frequency band 1668.4-1675 MHz new systems in the meteorological service shall not be implemented, and the existing systems in the meteorological service shall be moved in other bands as soon as possible.

181. (abrog. SG. 33/2021).

182. (abrog. SG. 47/2018).

183. Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460-470 MHz and 1690-1710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Radio Regulations.

184. (abrog. SG. 47/2018).

185. The frequency bands 5150-5350 MHz and 5470-5725 MHz are used for stations in the mobile, except aeronautical mobile, services in accordance with Resolution 229 for civil needs.

186. In the band 9000-9200 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, systems identified in the note 53 operating in the aeronautical radionavigation service, or radar systems in the maritime radionavigation service operating in this band on a primary basis in the countries listed in No. 5.471.

187. For sharing of the frequency band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution 751 (WRC-07) applies.

188. (abrog. SG. 47/2018).

189. In the bands 1350-1400 MHz, 1427-1452 MHz, 22.55-23.55 GHz, 24.25-27.5 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz, 51.4-52.6 GHz, 81-86 GHz and 92-94 GHz, Resolution 750 applies.

190. (abrog. SG. 76/2011).

191. (abrog. SG. 76/2011).

192. In the frequency band 2900-3100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service.

193. The use of the frequency bands 4500-4800 MHz (space-to-Earth), 6725-7025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the frequency bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the frequency bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite system in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite system in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated.

194. In the frequency bands 4825-4835 MHz and 4950-4990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service.

195. The use of allocation to the fixed-satellite service (Earth-to-space) in the frequency band 5091-5150 MHz is limited to feeder links of non-geostationary -satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A. The use of by feeder links of non-geostationary satellite systems in the mobile-satellite service shall be subject to application of Resolution 114. Moreover, to ensure that the aeronautical radionavigation service is protected from harmful interference, coordination is required for feeder-link earth stations of the non geostationary satellite systems in the mobile-satellite service which are separated by less than 450 km from the territory of an administration operating ground stations in the aeronautical radionavigation service.

196. The allocation to the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A.

197. The frequency band 5150-5216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of No. 9.11A. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5150-5216 MHz shall in no case exceed -164 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival.

198. The frequency band 5150-5216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the bands 1610-1626.5 MHz and/or 2483.5-2500 MHz. The total power flux-density at the Earth's surface shall in no case exceed -159 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival.

199. Fixed-satellite service networks in the frequency band 5150-5250 MHz shall be coordinated on an equal basis in accordance with No. 9.11A with non-geostationary-radiodetermination-satellite networks brought into use prior to 17 November 1995. Radiodetermination-satellite networks brought into use after 17 November

1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service.

200. (abrog. SG. 76/2011).

201. In the frequency band 5150-5250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed-satellite service. No. 5.43A does not apply to the mobile service with respect to fixed-satellite service earth stations.

202. In the frequency band 5250-5350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). These services shall not impose more stringent conditions upon the mobile service, than those stipulated in Resolution 229.

203. In the frequency band 5350-5470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with Footnote 149.

204. The space research service (active) operating in the band 5350-5460 MHz shall not cause harmful interference to, nor claim protection from, other services to which this band is allocated.

205. The Earth exploration-satellite service (active) operating in the band 5350-5570 MHz and space research service (active) operating in the band 5460-5570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5350-5460 MHz, the radionavigation service in the band 5460-5470 MHz and the maritime radionavigation service in the band 5470-5570 MHz.

206. In the frequency band 5470-5725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. Radiodetermination services shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution 229.

207. In the frequency band 5470-5650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5600-5650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service.

208. In the frequency band 5650-5670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in this frequency band (see No. 5.43). Any harmful interference from a station in the amateur-satellite service shall be immediately eliminated in accordance with the provisions of No.25.11. The use of this band by the amateur-satellite service is limited to the Earth-to-space direction.

209. In the frequency bands 5925-6425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution 902 (WRC 03). In the frequency band 5925-6425 MHz, earth stations located on board vessels and communicating with space stations of the fixed-satellite service may employ transmit antennas with minimum diameter of 1.2 m and operate without prior agreement of any administration if located at least 330 km away from the low-water mark as officially recognized by the coastal State. All other provisions of Resolution 902 shall apply.

210. In the frequency band 6425-7075 MHz, passive microwave sensor measurements are carried out over the oceans. In the frequency band 7075-7250 MHz, passive microwave sensor measurements are carried out. In the future planning of bands 6425-7075 MHz and 7075-7250 MHz the needs of the Earth exploration-satellite (passive) and space research (passive) services shall be born in mind.

211. No emissions from space research service (Earth-to-space) systems intended for deep space shall be effected in the frequency band 7190-7235 MHz. Geostationary satellites in the space research service operating in the frequency band 7190-7235 MHz shall not claim protection from existing and future stations of the fixed and mobile services. Article No. 5.43A does not apply.

212. In the frequency band 13.4-13.75 GHz, the earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service.

213. In the frequency band 14-14.5 GHz, ship earth stations with an equivalent isotropically radiated power (e.i.r.p.) greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution 902 (WRC 03). This footnote shall not apply to ship earth stations for which the complete Appendix 4 information has been received by the Radiocommunication Bureau prior to 5 July 2003.

214. In the frequency band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. 5.29, 5.30 and 5.31 apply.

215. Aircraft earth stations operating in the aeronautical mobile-satellite service in the band 14-14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation ITU R M.1643-0, with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa.

216. The following frequency bands are identified for use by high-density applications in the fixed-satellite service:

17.3-17.7 GHz	(space-to-Earth)
19.7-20.2 GHz	(space-to-Earth)
39.5-40 GHz	(space-to-Earth)
40-40.5 GHz	(space-to-Earth)
47.5-47.9 GHz	(space-to-Earth)
48.2-48.54 GHz	(space-to-Earth)
49.44-50.2 GHz	(space-to-Earth)
and	
27.5-27.82 GHz	(Earth-to-space)
28.45-28.94 GHz	(Earth-to-space)
29.46-30 GHz	(Earth-to-space)

This identification does not preclude the use of these bands by other fixed-satellite service applications or by other services to which these bands are allocated on a primary basis and does not establish priority among users of these bands. Administrations should take this into account when considering regulatory provisions in relation to these bands. See Resolution 143.

217. In the frequency band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link.

218. The use of the frequency band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km.

219. In the frequency bands 20.1-20.2 GHz and 29.9-30 GHz, the provisions of No 4.10 do not apply with respect to the mobile-satellite service.

220. In the frequency band 28.5-30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.

221. The use of the frequency band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A, but not subject to the provisions of No. 22.2, except as indicated in Nos. 5.523C and 5.523E where such use is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2.

222. Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the frequency band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Appendix 4 coordination information before this date shall use these techniques to the extent practicable.

## 223. (abrog. SG. 47/2018).

224. The frequency bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolutions 75 (WRC-2000). This condition shall be taken account when considering regulatory provisions in relation to these bands.

Because of the potential deployment of high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz and 40.5-42 GHz (see Footnote 216) the potential constraints to high-density applications in the fixed service shall be further taken account.

225. Practical measures shall be taken to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the frequency band 31.8-33.4 GHz, taking into account the operational needs of the airborne radar systems.

226. In the frequency band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than  $0.8^{\circ}$  from the beam centre shall not exceed  $-73.3 \text{ dB}(W/m^2)$  in this band.

227. The equivalent power flux-density (epfd) produced in the frequency band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service (space-to-Earth) operating in the frequency band 42-42.5 GHz, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:

 $-230 \text{ dB}(W/m^2)$  in 1 GHz and  $-246 \text{ dB}(W/m^2)$  in any 500 kHz of the frequency band 42.5-43.5 GHz at

the site of any radio astronomy station registered as a single-dish telescope; and  $-209 \text{ dB}(\text{W/m}^2)$  in any 500 kHz of the frequency band 42.5-43.5 GHz at the site of any radio astronomy station registered as a very long baseline interferometry station.

These equivalent power flux-density values shall be evaluated using the methodology given in Recommendation ITU R S.1586 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU R RA.1631 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle  $\theta_{min}$  of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information).

These values shall be applied at any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Radiocommunication Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed.

228. The power flux-density in the frequency band 42.5-43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service (space-to-Earth) operating in the frequency band 42-42.5 GHz, shall not exceed the following values at the site of any radio astronomy station:

- $-137 \text{ dB}(\text{W/m}^2)$  in 1 GHz and  $-153 \text{ dB}(\text{W/m}^2)$  in any 500 kHz of the frequency band 42.5-43.5 GHz at
- the site of any radio astronomy station registered as a single-dish telescope; and -116 dB(W/m2) in any 500 kHz of the frequency band 42.5-43.5 GHz at the site of any radio
- -116 dB(W/m2) in any 500 kHz of the frequency band 42.5-43.5 GHz at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall be applied at the site of any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Radiocommunication Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed.

229. The use of the frequency bands 47.5-47.9 GHz, 48.2-48.54 GHz and 49.44-50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites.

230. The power flux-density in the frequency band 48.94-49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2-48.54 GHz and 49.44-50.2 GHz shall not exceed  $-151.8 \text{ dB}(W/m^2)$  in any 500 kHz band at the site of any radio astronomy station.

231. In the frequency bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements.

232. The use of the frequency bands 54.25 -56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The power flux-density at all altitudes from 0 km to 1000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions

and for all methods of modulation, shall not exceed -147 dB(W/m<sup>2</sup>.100 MHz) for all angles of arrival.

233. In the frequency band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to -26 dB(W/MHz).

234. (abrog. SG. 76/2011).

235. The frequency band 81-81.5 GHz is also allocated to the amateur and amateur-satellite services on a secondary basis.

236. (abrog. SG. 76/2011).

237. The technical and operational characteristics of stations in the radionavigation service in the 90-110 kHz band must be coordinated in such a way as to avoid harmful interference to the services provided by these stations.

238. The frequency band 283.5-325 kHz in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service.

239. The frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.

240. The use of the bands 415-495 kHz and 505-526.5 kHz by the maritime mobile service is limited to radiotelegraphy and may also be used for the NAVDAT system in accordance with the most recent version of Recommendation ITU-R M.2010, subject to agreement between interested and affected administrations. NAVDAT transmitting stations are limited to coast stations.

241. When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4209.5 kHz, it is strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (see Resolution 339 (Rev.WRC-97)). (WRC-97)

242. In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In using the band 415-495 kHz for the aeronautical radionavigation service and the band 472-479 kHz for the amateur service shall not cause harmful interference to the frequency 490 kHz. (WRC-12).

243. (abrog. SG. 16/2014).

244. (abrog. SG. 16/2014).

245. (abrog. SG. 76/2011).

246. In making assignments to stations in the fixed and mobile services in the frequency bands 1850-2045 kHz, 2194-2498 kHz, 2502-2625 kHz and 2650-2850 kHz the special requirements of the maritime mobile service shall be born in mind.

247. The conditions for the use of the international distress frequencies 2174.5 kHz, 4177.5 kHz, 6268 kHz, 8376.5 kHz, 12520 kHz and 16695 kHz for narrow-band direct-printing telegraphy are prescribed in Articles 31.

248. The use of the band 4000-4063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. 52.220 and Appendix 17).

249. The conditions for the use of the carrier frequencies 4125 kHz and 6215 kHz are prescribed in Articles 31 and 52.

250. The frequency 4209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques (NBDP).

251. The frequencies 4210 kHz, 6314 kHz, 8416.5 kHz, 12579 kHz, 16806.5 kHz, 19680.5 kHz, 22376 kHz and 26100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix 17).

252. The use of the bands 5900-5950 kHz, 7300-7350 kHz, 9400-9500 kHz, 11600-11650 kHz, 12050-12100 kHz, 13570-13600 kHz, 13800-13870 kHz, 15600-15800 kHz, 17480-17550 kHz and 18900-19020 kHz by

the broadcasting service is subject to the application of the procedure of Article 12. The introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 shall be facilitated.

253. (abrog. SG. 76/2011).

254. In the frequency bands 137-138 MHz, 157.1875-157.3375 MHz, 161.7875-161.9375 MHz, 400.15-401 MHz, 1452-1492 MHz, 1525-1610 MHz, 1613.8-1626.5 MHz, 2655-2690 MHz and 21.4-22 GHz Resolution 739 applies.

255. (abrog. SG. 76/2011).

256. In using the frequencies below 8.3 kHz shall not cause harmful interference to services to which the bands above 8.3 kHz are allocated.

257. Services conducting scientific research using frequencies below 8.3 kHz shall inform the National Radio Frequency Spectrum Council who shall inform other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference.

258. Use of the 8.3-11.3 kHz frequency band by stations in the meteorological aids service is limited to passive use only. In the frequency band 9-11.3 kHz, meteorological aids stations shall not claim protection from stations of the radionavigation service submitted for notification to the Bureau prior to 1 January 2013. For sharing between stations of the meteorological aids service and stations in the radionavigation service submitted for notification of Recommendation ITU-R RS.1881 should be applied.

259. The use of the frequency bands 14-19.95 kHz, 20.05-70 kHz, 72-84 kHz and 86-90 kHz by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.

260. The maximum equivalent isotropically radiated power (e.i.r.p.) of stations in the amateur service using frequencies in the frequency band 472-479 kHz shall not exceed 1 W. This limit of e.i.r.p. may be increased to 5 W in portions of their territory which are at a distance of over 800 km from the borders the Russian Federation and Ukraine. In this frequency band, stations in the amateur service shall not cause harmful interference to, or claim protection from, stations of the aeronautical radionavigation service.

261. Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (Rev.WRC-12).

262. Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612.

263. The use of the frequency bands 156.7625-156.7875 MHz and 156.8125-156.8375 MHz by the mobilesatellite service (Earth-to-space) is limited to the reception of automatic identification system (AIS) emissions of long-range AIS broadcast messages (Message 27, see the most recent version of Recommendation ITU-R M.1371). With the exception of AIS emissions, emissions in these frequency bands by systems operating in the maritime mobile service for communications shall not exceed 1 W.

264. The use of the frequency band 694-790 MHz by the mobile, except aeronautical mobile, service is subject to the provisions of Resolution 760. See also Resolution 224.

265. The allocation to the mobile, except aeronautical mobile, service in the frequency band 790-862 MHz is subject to agreement obtained under No. 9.21 with respect to the aeronautical radionavigation service in countries mentioned in No. 5.312. For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolutions 224 and 749 shall apply, as appropriate.

266. The use of the frequency band 960-1164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 417.

267. The frequency band 1610-1626.5 MHz (Earth-to-space) is also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. 9.21 (WRC-12).

268. In the frequency bands 5000-5030 MHz and 5091-5150 MHz, the aeronautical mobile-satellite (R) service is subject to agreement obtained under No. 9.21 of the Radio Regulations. The use of these bands by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems.

269. The use of the frequency band 5030-5091 MHz by the aeronautical mobile (R) service is limited to internationally standardized aeronautical systems. Unwanted emissions from the aeronautical mobile (R) service in the frequency band 5030-5091 MHz shall be limited to protect RNSS system downlinks in the adjacent 5010-5030 MHz band. Until such time that an appropriate value is established in a relevant ITU-R Recommendation, the e.i.r.p. density limit of -75 dBW/MHz in the frequency band 5010-5030 MHz for any AM(R)S station unwanted emission should be used (WRC-12).

270. In the frequency band 5030-5091 MHz, the aeronautical mobile-satellite (R) service is subject to coordination under No. 9.11A of the Radio Regulations. The use of this frequency band by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems.

271. The frequency band 5150-5250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations, in accordance with Resolution 418. These stations shall not claim protection from other stations operating in accordance with Article 5. Article No. 5.43A does not apply.

272. In the frequency band 15.4-15.7 GHz, stations operating in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the aeronautical radionavigation service.

273. In order to protect the radio astronomy service in the frequency band 15.35-15.4 GHz, radiolocation stations operating in the frequency band 15.4-15.7 GHz shall not exceed the power flux-density level of  $-156 \text{ dB}(\text{W/m}^2)$  in a 50 MHz bandwidth in the frequency band 15.35-15.4 GHz, at any radio astronomy observatory site for more than 2 per cent of the time.

274. Unless otherwise agreed between the administrations concerned, any station in the fixed or mobile services shall not produce a power flux-density in excess of  $-120.4 \text{ dB}(W/(m^2 \cdot \text{MHz}))$  at 3 m above the ground of any point of the territory of any other administration for more than 20% of the time. In conducting the calculations, administrations should use the most recent version of Recommendation ITU-R P.452 (see the most recent version of Recommendation ITU-R BO.1898) (WRC-12).

275. In the band 21.4-22 GHz, in order to facilitate the development of the broadcasting-satellite service, it is recommended not to deploy stations in the mobile service. It is recommended to limit the deployment of stations in the fixed service to point-to-point links (WRC-12).

276. (abrog. SG. 33/2021).

277. (abrog. SG. 47/2018).

278. The location of earth stations in the space research service shall maintain a separation distance of at least 54 km from the respective border(s) of neighbouring countries to protect the existing and future deployment of fixed and mobile services unless a shorter distance is otherwise agreed between the corresponding administrations. Nos. 9.17 and 9.18 do not apply.

279. Use of the frequency band 24.65-25.25 GHz by the fixed-satellite service (Earth-to-space) is limited to earth stations using a minimum antenna diameter of 4.5 m. (WRC-12).

280. The frequency bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz are also allocated to the fixed and land mobile services on a primary basis. The use of these bands by the fixed and land mobile services shall not cause harmful interference to nor claim protection from the maritime mobile VHF radiocommunication service.

281. Those parts of the frequency band 694-960 MHz which are allocated to the mobile service on a primary basis are identified for implementation of International Mobile Telecommunications (IMT) – see Resolutions 224, 749 and 760, as appropriate. This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations.

282. The use of the frequency band 1610-1626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination-satellite service (Earth-to-space) is subject to coordination under No. 9.11A. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of -15 dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. 5.366 (to which No. 4.10 applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed -3 dB(W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. 5.366 and stations in the fixed service operating in accordance with the provisions of No. 5.359. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. 5.366.

283. The frequency band 1610-1626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. 9.21.

284. With respect to the radiodetermination-satellite and mobile-satellite services the provisions of No. 4.10 do not apply in the frequency band 1610-1626.5 MHz. However, No. 4.10 applies in the frequency band 1610-1626.5 MHz with respect to the aeronautical radionavigation-satellite service when operating in accordance with Footnote 283, the aeronautical mobile satellite (R) service when operating in accordance with Footnote 146, and in the frequency band 1621.35-1626.5 MHz with respect to the maritime mobile-satellite service when used for GMDSS.

285. Harmful interference shall not be caused to stations of the radio astronomy service using the frequency band 1610.6-1613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. 29.13 applies). The equivalent power flux-density (epfd) produced in the frequency band 1610.6-1613.8 MHz by all space stations of a non-geostationary-satellite system in the mobile-satellite service (space-to-Earth) operating in frequency band 1613.8-1626.5 MHz shall be in compliance with the protection criteria provided in the most recent version of Recommendations ITU-R RA.769 and ITU-R RA.1513, using the methodology given in the most recent version of Recommendation ITU-R M.1583, and the radio astronomy antenna pattern described in the most recent version of Recommendation ITU-R RA.1631.

286. The use of the frequency band 1613.8-1626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under No. 9.11A.

287. The use of the frequency band 2483.5-2500 MHz by the mobile-satellite and the radiodeterminationsatellite services is subject to the coordination under No. 9.11A. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2483.5-2500 MHz band, especially those caused by second-harmonic radiation that would fall into the frequency band 4990-5000 MHz allocated to the radio astronomy service worldwide.

288. The use of the frequency band 5091-5150 MHz by the aeronautical mobile service is limited to:

- systems operating in the aeronautical mobile (R) service and in accordance with international standards for this service, limited to surface applications at airports. Such use shall be in accordance with Resolution 748;

- aeronautical telemetry transmissions from aircraft stations in accordance with Resolution 418.

289. The use of the frequency band 7750-7900 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems (WRC-12).

290. In the frequency band 8025-8400 MHz, the Earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following values for angles of arrival ( $\theta$ ), without the consent of the affected administration:

-135 dB(W/m<sup>2</sup>) in a 1 MHz band for  $0^{\circ} \le \theta < 5^{\circ}$ 

–135 + 0.5 ( $\theta$  – 5) dB(W/m²) in a 1 MHz band for  $~5^\circ \leq \theta < ~5^\circ$ 

–125 dB(W/m<sup>2</sup>) in a 1 MHz band for  $25^{\circ} \le \theta \le 90^{\circ}$ .

291. Aircraft stations are not permitted to transmit in the frequency band 8025-8400 MHz (WRC-97).

292. The frequency band 1718.8-1722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations (WRC-2000).

293. The frequency bands 1885-2025 MHz and 2110-2200 MHz are intended for use, on a worldwide basis, for implementation of International Mobile Telecommunications–2000 (IMT-2000). Such use does not preclude the use of these bands by other services to which they are allocated. The bands should be made available for IMT-2000 in accordance with Resolution 212 (See also Resolution 223).

294. The frequency bands 1885-1980 MHz, 2010-2025 MHz and 2110-2170 MHz may be used by high altitude platform stations as base stations to provide International Mobile Telecommunications (IMT), in accordance with Resolution 221. This use does not preclude the use of these bands by any station in the services to which they are allocated and does not establish priority in the Radio Regulations.

295. The use of the frequency bands 1980-2010 MHz and 2170-2200 MHz by the mobile-satellite service is subject to coordination under No. 9.11A and to the provisions of Resolution 716 (Rev.WRC-2000) (WRC-07).

296. In making assignments to the mobile service in the frequency bands 2025-2110 MHz and 2200-2290 MHz, shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154-0, and shall take that Recommendation into account for the introduction of any other type of mobile system.

297. It is recommended to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2025-2110 MHz and 2200-2290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.

298. The frequency bands 5250-5450 kHz and 69.9-70.5 MHz are used by the amateur service on a secondary basis.

299. For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution 752 shall apply.

300. In this frequency band individual frequencies designated for national security, are used shared by national and local alerting systems (LAS) to prevent and respond to disasters. These frequencies are defined in the standard operating procedures for cooperation between the Ministry of Interior and the operator exploiting LAS.

301. In using the frequency bands 811-821 MHz and 852-862 MHz for civil needs shall not cause harmful interference to the operation of the Ministry of Defence's radio-electronic equipment, using adjacent frequency bands.

302. The frequency band 148-149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. The bandwidth of any individual transmission shall not exceed  $\pm$  25 kHz.

303. The use of the frequency bands 161.9375-161.9625 MHz and 161.9875-162.0125 MHz by the maritime mobile-satellite (Earth-to-space) service is limited to the systems which operate in accordance with Appendix 18 of the Radio Regulations.

304. Emissions shall be confined in a band of ± 25 kHz about the standard frequency 400.1 MHz.

305. In the frequency band 403-410 MHz, Resolution 205 applies.

306. The frequency band 470-694 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting and programme-making. Stations of the land mobile service shall not cause harmful interference to existing or planned stations operating in accordance with the tables for radio frequency spectrum allocation in countries other than those listed in footnote 5.296 of the Radio Regulations.

307. The frequency band 1087.7-1092.3 MHz is also allocated to the aeronautical mobile-satellite(R) service on a primary basis, limited to the space station reception of Automatic Dependent Surveillance-Broadcast (ADS-B) emissionsfrom aircraft transmitters that operate in accordance with recognized international aeronautical standards. Stations operating in the aeronautical mobile-satellite (R) service shall not claim protection from stations operating in the aeronautical radionavigation service. Resolution 425 shall apply.

308. Mobile earth stations operating in the band 1660-1660.5 MHz shall not cause harmful interference to stations in the radio astronomy service.

309. Use of the frequency band 4200-4400 MHz by stations in the aeronautical mobile (R) service is reserved exclusively for wireless avionics intra-communication systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 424.

310. In making assignments in the band 6700-7075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6650-6675.2 MHz from harmful interference from unwanted emissions.

311. The space-to-Earth allocation to the fixed-satellite service in the band 6700-7075 MHz is limited to feeder links for non-geostationary satellite systems of the mobilesatellite service and is subject to coordination under No. 9.11A. The use of the band 6700-7075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. 22.2 of the Radio Regulations.

312. The use of the frequency band 7190-7250 MHz (Earth-to-space) by the Earth exploration-satellite service shall be limited to tracking, telemetry and command for the operation of spacecraft. Space stations operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7190-7250 MHz shall not claim protection from existing and future stations in the fixed and mobile services, and Article No. 5.43A does not apply. Article No. 9.17 applies. Additionally, to ensure protection of the existing and future deployment of fixed and mobile services, the location of earth stations supporting spacecraft in the Earth exploration-satellite service in non-geostationary orbits or geostationary orbit shall maintain a separation distance of at least 10 km and 50 km, respectively, from the respective border(s) of neighbouring countries, unless a shorter distance is otherwise agreed between the corresponding administrations.

313. Space stations on the geostationary orbit operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7190-7250 MHz shall not claim protection from existing and future stations of the space research service, and Article No. 5.43A does not apply.

314. The use of the frequency band 7375-7750 MHz by the maritime mobile-satellite service is limited to geostationary-satellite networks.

315. In the frequency band 7375-7750 MHz, earth stations in the maritime mobile-satellite service shall not claim protection from, nor constrain the use and development of, stations in the fixed and mobile, except aeronautical mobile, services. Article No. 5.43A does not apply.

316. The use of the band 7450-7550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems.

317. In the space research service, the use of the band 8400-8450 MHz is limited to deep space.

318. In the band 8550-8650 MHz, stations in the earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service.

319. The use of the frequency bands 9200-9300 MHz and 9900-10400 MHz by the Earth exploration-satellite service (active) is limited to systems requiring necessary bandwith greater than 600 MHz that cannot be fully accommodated within the frequency band 9300-9900 MHz. Such use is subject to agreement to be obtained under No. 9.21 from Algeria, Saudi Arabia, Bahrain, Egypt, Indonesia, Iran (Islamic Republic of), Lebanon and Tunisia. An administration that has not replied under No. 9.52 is considered as not having agreed to the coordination request. In this case, the notifying administration of the satellite system operating in the Earth explorationsatellite service (active) may request the assistance of the Bureau under Sub-Section IID of Article 9.

320. Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2065-0 and ITU-R RS.2066-0.

321. Stations operating in the Earth exploration-satellite service (active) shall not cause harmful interference to, or claim protection from, stations of the maritime radionavigation and radiolocation services in the frequency band 9200-9300 MHz, the radionavigation and radiolocation services in the frequency band 9900-10000 MHz and the radiolocation service in the frequency band 10.0-10.4 GHz.

322. The use of the band 9300-9500 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 300 MHz that cannot be fully accommodated within the 9500-9800 MHz band.

323. In the band 9300-9800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services.

324. The use of the band 9800-9900 MHz by the Earth exploration-satellite service (active) and space research service (active) is limited to systems requiring necessary bandwith greater than 500 MHz that cannot be fully accommodated within the 9300-9800 MHz band.

325. In the band 9800-9900 MHz, stations in the Earth exploration-satellite service (active) and the space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis.

326. Stations in the amateur service using the frequency band 5351.5-5366.5 kHz shall not exceed a maximum radiated power of 15 W (e.i.r.p.).

327. Frequencies in the band 5900-5950 kHz may be used by stations in the fixed service and land mobile service, communicating only within the boundary of the country in which they are located on condition that harmful interference is not caused to the broadcasting service, using the minimum power required and taking account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.

328. On condition that harmful interference is not caused to the maritime mobile service, the bands 6200-6213.5 kHz and 6220.5-6525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.

329. Frequencies in the band 7300-7350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. The total radiated power of each station shall not exceed 24 dBW and shall take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations.

330. Resolution 155 shall apply.

331. The use of the frequency band 13.4-13.65 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary-satellite systems and is subject to agreement obtained under No. 9.21 with respect to satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015.

332. Administrations shall not preclude the deployment and operation of transmitting earth stations in the standard frequency and time signal-satellite service (Earth-to-space) allocated on a secondary basis in the frequency band 13.4-13.65 GHz due to the primary allocation to FSS (space-to-Earth).

333. The allocation of the frequency band 13.4-13.65 GHz to the space research service on a primary basis is limited to:

- satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015,

- active spaceborne sensors,

- satellite systems operating in the space research service (space-to-Earth) to relay data from space stations in the geostationary-satellite orbit to associated earth stations.

Other uses of the band by the space research service are on a secondary basis.

334. In the frequency band 13.4-13.65 GHz, satellite systems in the space research service (space-to-Earth) and/or the space research service (space-to-space) shall not cause harmful interference to, nor claim protection from, stations in the fixed, mobile, radiolocation and Earth exploration-satellite (active) services.

335. In the frequency band 13.4-13.65 GHz, geostationary-satellite networks in the fixed-satellite service (space-to-Earth) shall not claim protection from space stations in the Earth exploration-satellite service (active) operating in accordance with Radio Regulations. Article No. 5.43A of the Radio Regulations does not apply. The provisions of No. 22.2 of the Radio Regulations do not apply to the Earth exploration-satellite service (active) with respect to the fixed-satellite service (space-to-Earth) in this band 13.4-13.65 GHz.

336. In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:

a) in the band 13.77-13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixedsatellite service operating with a space station in geostationarysatellite orbit shall not exceed:

aa) 4.7D + 28 dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;

bb)  $49.2 + 20 \log(D/4.5) dB(W/40 kHz)$ , where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;

cc) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;

dd) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;

b) the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz.

Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions.

337. Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14-14.5 GHz without the need for prior agreement from Cyprus and Malta, within the minimum distance given in Resolution 902 (Rev.WRC-03) from these countries.

338. The use of the frequency bands 14.5-14.75 GHz by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcastingsatellite service is limited to geostationary-satellites.

339. For the use of the frequency bands 14.5-14.75 GHz by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcastingsatellite service, the fixed-satellite service earth stations shall have a minimum antenna diameter of 6 m and a maximum power spectral density of -44.5 dBW/Hz at the input of the antenna. The earth stations shall be notified at known locations on land.

340. The power flux-density produced by this earth station in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service does not exceed  $-151.5 \text{ dB}(W/(m^2.4 \text{ kHz}))$  produced at all altitudes from 0 m to 19 000 m above sea level at 22 km seaward from all coasts, defined as the low-water mark, as officially recognized by each coastal State.

341. In the frequency bands 14.50-14.75 GHz the location of earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall maintain a separation distance of at least 500 km from the border(s) of other countries unless shorter distances are explicitly agreed by those administrations. Article No. 9.17 does not apply. When applying this provision, administrations should consider the relevant parts of these Regulations and the latest relevant ITU-R Recommendations.

342. In the frequency bands 14.50-14.75 GHz earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall not constrain the future deployment of the fixed and mobile services.

343. Except for use in accordance with Resolution 163, the use of the frequency band 14.5-14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. Uses other than feeder links for the broadcasting-satellite service are not authorized in the frequency band 14.75-14.8 GHz.

344. Use of the band 15.43-15.63 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. 9.11A of the Radio Regulations.

345. The operation of earth stations in motion communicating with the fixed-satellite service is subject to Resolution 156.

346. The allocation to the mobile-satellite service in the band 20.1-20.2 GHz is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Operatingsystems in the mobile-satellite service in this band shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of Article No. 5.524 of the Radio Regulations.

347. The band 48.94-49.04 GHz is allocated to the radio astronomy service on a primary basis.

348. Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from nongeostationary satellites in high-Earth orbit to those in low Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed  $-147 \text{ dB}(W/(m^2.100 \text{ MHz}))$  for all angles of arrival.

349. The use of the frequency band 77.5-78 GHz by the radiolocation service shall be limited to short-range radar for ground-based applications, including automotive radars. The technical characteristics of these radars are provided in the most recent version of Recommendation ITU-R.M.2057. The provisions of Article No. 4.10 do not apply.

350. In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible (WRC-2000).

351. In the bands 105-109.5 GHz, 111.8-114.25 GHz, and 217-226 GHz, the use of is limited to space-based radio astronomy only.

352. Use of the band 116-122.25 GHz by the inter-satellite service is limited to satellites in the geostationarysatellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed –148 dB(W/(m<sup>2</sup> MHz)) for all angles of arrival.

353. The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5-134 GHz.

354. (abrog. SG. 33/2021).

355. Use of the bands 174.8-182 GHz and 185-190 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed –144 dB(W/(m<sup>2</sup> MHz)) for all angles of arrival.

356. In the bands 200-209 GHz, 235-238 GHz, 250-252 GHz and 265-275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents.

357. The band 237.9-238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only.

358. The use of the band 2025-2045 kHz by the meteorological aids service is limited to oceanographic buoy stations.

359. (abrog. SG. 33/2021).

360. (abrog. SG. 33/2021).

361. (abrog. SG. 33/2021).

362. The bands 726-753 MHz, 778-811, MHz and 822-852 MHz are allocated to the aeronautical radionavigation service and are used for national security needs.

363. The frequency band 495-505 kHz is used for the international NAVDAT system as described in the most recent version of Recommendation ITU-R M.2010. NAVDAT transmitting stations are limited to coast stations.

364. The use of the space operation service (space-to-Earth) with non-geostationary satellite short-duration mission systems in the frequency band 137-138 MHz is subject to Resolution 660. Resolution 32 applies. These systems shall not cause harmful interference to, or claim protection from, the existing services to which the frequency band is allocated on a primary basis.

365. The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (Earth-to-space) is limited to non-GSO satellite systems operating in accordance with Appendix 18.

366. The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (space-to-Earth) is limited to non-GSO satellite systems operating in accordance with Appendix 18 of the Radio Regulations. Such use is subject to agreement obtained under No. 9.21 with respect to the terrestrial services in Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, the Russian Federation, the Syrian Arab Republic, the Dem. People's Rep. of Korea, South Africa and Viet Nam.

367. The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the mobilesatellite (Earth-to-space) service is limited to receiving emissions from the automatic identification system (AIS) operating in the maritime mobile service.

368. In the frequency band 399.9-400.05 MHz, the maximum e.i.r.p. of any emission of earth stations in the mobile-satellite service shall not exceed 5 dBW in any 4 kHz band and the maximum e.i.r.p. of each earth station in the mobile-satellite service shall not exceed 5 dBW in the whole 399.9-400.05 MHz frequency band. Until 22 November 2022, this limit shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2022, these limits shall apply to all systems within the mobile-satellite service operating in this frequency band. In the frequency band 399.99-400.02 MHz, the e.i.r.p. limits as specified above shall apply after 22 November 2022 to all systems within the mobile-satellite service. After 22 November 2019 the mobile-satellite service satellite links in the 399.99-400.02 MHz

369. In the frequency band 400.02-400.05 MHz, the provisions of Footnote 368 are not applicable for telecommand uplinks within the mobile-satellite service.

370. In the frequency band 401-403 MHz, the maximum e.i.r.p. of any emission of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW in any 4 kHz band for geostationary systems and non-geostationary systems with an orbit of apogee equal or greater than 35 786 km. The maximum e.i.r.p. of any emission of each earth station in the meteorological satellite service and the Earth exploration-satellite service shall not exceed 7 dBW in any 4 kHz band for non-geostationary systems with an orbit of apogee lower than 35 786 km. The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW for geostationary systems and nongeostationary systems with an orbit of apogee equal or greater than 35 786 km in the whole 401-403 MHz frequency band. The maximum e.i.r.p. of each earth station in the meteorological satellite service and the Earth exploration-satellite service shall not exceed 7 dBW for non-geostationary systems with an orbit of apogee lower than 35 786 km in the whole 401-403 MHz frequency band. The maximum e.i.r.p. of each earth station in the meteorological satellite service and the Earth exploration-satellite service shall not exceed 7 dBW for non-geostationary systems with an orbit of apogee lower than 35 786 km in the whole 401-403 MHz frequency band. Until 22 November 2029, these limits shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2029, these limits shall apply to all systems within the meteorological-satellite service and the Earth exploration-satellite service operating in this frequency band.

371. Non-geostationary satellite systems in the meteorological-satellite service and the Earth explorationsatellite service for which complete notification information has been received by the Radiocommunication Bureau before 28 April 2007 are exempt from provisions of Footnote 370 and may continue to operate in the frequency band 401.898-402.522 MHz on a primary basis without exceeding a maximum e.i.r.p. level of 12 dBW.

372. Maritime mobile earth stations receiving in the frequency band 1621.35-1626.5 MHz shall not impose additional constraints on earth stations operating in the maritime mobile-satellite service or maritime earth stations of the radiodetermination-satellite service operating in accordance with the Radio Regulations in the frequency band 1610-1621.35 MHz or on earth stations operating in the maritime mobile-satellite service operating in accordance with the Radio Regulations in the frequency band 1626.5-1660.5 MHz, unless otherwise agreed between the notifying administrations.

373. Maritime mobile earth stations receiving in the frequency band 1621.35-1626.5 MHz shall not impose constraints on the assignments of earth stations of the mobile satellite service (Earth-to-space) and the radiodetermination-satellite service (Earth-to-space) in the frequency band 1621.35-1626.5 MHz in networks for which complete coordination information has been received by the Radiocommunication Bureau before 28 October 2019.

374. The operation of earth stations in motion communicating with geostationary fixed satellite service space stations within the frequency bands 17.7-19.7 GHz (space-to-Earth) and 27.5-29.5 GHz (Earth-to-space) shall be subject to the application of Resolution 169.

375. The frequency band 24.25-27.5 GHz is identified for use by the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 242 applies.

376. The allocation to the fixed service in the frequency band 31-31.3 GHz is identified for worldwide use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution 167.

377. The use of the frequency band 137.175-137.825 MHz by non-geostationary satellite systems in the space operation service identified as short-duration mission in accordance with Appendix 4 of the Radio Regulations is not subject to No. 9.11A.

378. The frequency band 37-43.5 GHz, or portions thereof, is identified for use by the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Because of the potential deployment of FSS earth stations within the frequency range 37.5-42.5 GHz and high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz and 40-40.5 GHz should further take into account potential constraints IMT in these frequency bands, as appropriate. Resolution 243 applies.

379. The use of the frequency bands 37.5-39.5 GHz (space-to-Earth), 39.5-42.5 GHz (space-to-Earth), 47.2-50.2 GHz (Earth-to-space) and 50.4-51.4 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed satellite service is subject to the application of the provisions of No. 9.12 for coordination with other nongeostationary satellite systems in the fixed-satellite service but not with non-geostationary-satellite systems in other services. Resolution 770 and No. 22.2 apply.

380. The allocation to the fixed service in the frequency band 38-39.5 GHz is identified for worldwide use by administrations wishing to implement high-altitude platform stations (HAPS). In the HAPS-to-ground direction, the HAPS ground station shall not claim protection from stations in the fixed, mobile and fixed-satellite services; and No. 5.43A does not apply. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis. Furthermore, the development of the fixed-satellite, fixed and mobile services shall not be unduly constrained by HAPS. Such use of the fixed service allocation by HAPS shall be in accordance with the provisions of Resolution 168.

381. The use of the frequency bands 39.5-40 GHz and 40-40.5 GHz by non-geostationary-satellite systems in the mobile-satellite service (space-to-Earth) and by non-geostationary-satellite systems in the fixed-satellite service (space-to-Earth) is subject to the application of the provisions of No. 9.12 for coordination with other

non-geostationary satellite systems in the fixed-satellite and mobile-satellite services but not with non-geostationary-satellite systems in other services. No. 22.2 apply for non-geostationary-satellite-systems.

382. The frequency band 66-71 GHz is identified for use by International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which this frequency band is allocated and does not establish priority in the Radio Regulations. Resolution 241 applies.

383. For the operation of fixed and land mobile service applications in frequency bands in the range 275-450 GHz:

The frequency bands 275-296 GHz, 306-313 GHz, 318-333 GHz and 356-450 GHz are identified for the implementation of land mobile and fixed service applications, where no specific conditions are necessary to protect Earth exploration-satellite service (passive) applications. The frequency bands 296-306 GHz, 313-318 GHz and 333-356 GHz may only be used by fixed and land mobile service applications when specific conditions to ensure the protection of Earth exploration-satellite service (passive) applications are determined in accordance with Resolution 731.

In those portions of the frequency range 275-450 GHz where radio astronomy applications are used, specific conditions (e.g. minimum separation distances and/or avoidance angles) may be necessary to ensure protection of radio astronomy sites from land mobile and/or fixed service applications, on a case-by-case basis in accordance with Resolution 731.

The use of the frequency bands by land mobile and fixed service applications does not preclude use by, and does not establish priority over, any other applications of radio services in the range of 275-450 GHz.

384. The frequency band 148-149.9 MHz in the space operation service (Earth-to-space) may be used by non-geostationary satellite systems with short-duration missions. Non-geostationary satellite systems in the space operation service used for a short-duration mission in accordance with Resolution 32 of the Radio Regulations are not subject to agreement under No. 9.21. At the stage of coordination, the provisions of Nos. 9.17 and 9.18 also apply. In the frequency band 148-149.9 MHz, non-geostationary satellite systems with short-duration missions shall not cause unacceptable interference to, or claim protection from, existing primary services within this frequency band, or impose additional constraints on the space operation and mobile satellite services. In addition, earth stations in non-geostationary satellite systems in the space operation service with short-duration missions in the frequency band 148-149.9 MHz shall ensure that the power fluxdensity does not exceed –149 dB(W/(m<sup>2</sup> . 4 kHz)) for more than 1% of time at the border of the territory of the following countries: Armenia, Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, Russian Federation, India, Iran (Islamic Republic of), Japan, Kazakhstan, Malaysia, Uzbekistan, Kyrgyzstan, Thailand and Viet Nam. In case this power flux-density limit is exceeded, agreement under No. 9.21 is required to be obtained from these countries.

385. The use of the frequency band 51.4-52.4 GHz by the fixed-satellite service (Earth-to-space) is limited to geostationary-satellite networks. The earth stations shall be limited to gateway earth stations with a minimum antenna diameter of 2.4 metres.